


Bosch GLL 80-33 G Line level 30 m 500-540 nm (< 10mW)

Gamintojas: **BOSCH** · Modelis: **0601065501** · EAN: **4053423303278** · Prekės kodas: **783879**



628,90 €

Kaina su PVM

Be PVM: **519,75 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Rubber-enforced housing and IP65 rating for dust and water resistance
- ✓ New keypad design for clear laser line selection and energy saving mode for longer battery runtime
- ✓ Dual power source for seamless switch between BA 3.7V 3.0Ah XL Li-Ion battery and AA alkaline batteries to help eliminate downtime

Aprašymas

Product Highlights

The GLL 80-33 G Professional is an intuitive line laser for your most precise alignment and levelling tasks. With an IP65 rating and durable, rubber-enforced housing and laser windows, it is made to withstand dust and water - so you can work with confidence at even the toughest jobsites. The new keypad design allows for simple selection of each laser line and offers an additional energy saving mode for longer battery runtime. On top of that, a dual power source gives the flexibility to switch between the BA 3.7V 3.0Ah XL Li-Ion battery and AA alkaline batteries, so you don't have to worry about downtime due to an empty battery.

Equipment & Application

The BA 3.7V 3.0Ah XL can recharge while in use and ensures that your work flows seamlessly, without power interruptions. The GLL 80-33 G is ideal for a variety of applications, including setting up drywalls, aligning window frames and installing suspended ceilings. The large battery indicator makes it easy to monitor power levels, while 3 x 360° laser lines allow for simultaneous horizontal and vertical levelling applications - helping you save time and effort.

Additional Information

The line laser detects the optional laser receiver LR 7 Professional automatically. This way you can start work immediately and extend the working range up to 80 meters. The bright green laser lines offer up to four times better visibility than red lines to make your levelling easier – no matter where the job takes you.

Techninė specifikacija

Features	
Maximum range	30 m
Levelling accuracy (±)	0.3 mm/m
Self-levelling range (±)	4°
Maximum range (with receiver)	80 m
Number of laser lines	3
Leveling time	4 s
Beam direction	Horizontal/Vertical
Colour of laser beam	Green
Laser class	2
Laser diode	500-540 nm (< 10mW)
Design	
Type	Line level
Product colour	Black, Green
Tripod mounting supported	Yes
Tripod thread	1/4,5/8"
International Protection (IP) code	IP65
Battery	
Power source	Battery
Battery technology	Lithium-Ion (Li-Ion)
Battery voltage	3.7 V
Number of batteries supported	1
Battery capacity	3 Ah
Operational conditions	
Operating temperature (T-T)	10 - 40 °C
Storage temperature (T-T)	20 - 70 °C
Weight & dimensions	
Width	89 mm
Depth	144 mm
Height	139 mm

Weight	930 g
--------	-------

Packaging data

Package type	Box
--------------	-----

Packaging content

Mounting bracket(s) included	Yes
------------------------------	-----

Battery included	Yes
------------------	-----

Number of batteries included	1 pc(s)
------------------------------	---------

Pouch	Yes
-------	-----

Storage case	Yes
--------------	-----

Laser measuring stage	Yes
-----------------------	-----

Manual	Yes
--------	-----

Matmenys ir svoris

Svoris	3,62kg
--------	--------

Dokumentai ir vaizdo įrašai

- > [Naudojimo instrukcija](#)
- > [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Bosch

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt