



Switch TP-LINK Desktop/pedestal 5x10Base-T 100Base-TX 1000Base-T PoE ports 1 TL- SG1005LP



Modelis: TL-SG1005LP

Gamintojas: TP-LINK

EAN: 6935364052720

Prekės kodas: 79229

32.98€

Professional 5-Port Gigabit Switch with 4 PoE+ Ports

Plug and Play, with PoE power supply which meets the needs of diverse devices.

Dedicated 4-Port PoE+ Switch (40 W Budget) for Numerous Applications

Compliance with the 802.3af/at PoE+ standard supports up to 30 W on each PoE port. The total 40 W PoE power budget for the 4× PoE ports opens up a wide range of applications, such as surveillance for offices, dormitories, and small businesses. It is fully compatible with IP cameras, access points, IP phones, computers, printers, and more.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš išsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Intelligent Power Management

When total power consumption exceeds 40 W, the intelligent power management will cut the lower priority port power. This ensures the high priority port's power supply and protects the device from power overload. It also automatically detects and provides the required power for your PoE devices while protecting your PoE and non-PoE equipment from being damaged.

Advanced Functions for Higher Performance

Administrators can designate the priority of traffic based on QoS, for example, to ensure that voice and video applications remain clear and lag-free.

IGMP Snooping optimizes multimedia traffic delivery, to ensure a better network experience especially for applications like IPTV.

Durable Metal Casing

The interior components of TL-SG1005LP are protected by high-quality metal casing to ensure a long product life. Having passed an array of stringent reliability tests, TL-SG1005LP delivers switching performance you can depend on.

- 5× 10/100/1000 Mbps RJ45 ports
- With four PoE+ ports, transfers data and power on one single cable
- Works with IEEE 802.3af/at compliant PDs
- 802.1p/DSCP QoS enable smooth latency-sensitive traffic
- Supports PoE Power up to 30 W for each PoE port
- Supports PoE Power up to 40 W for all PoE ports
- Plug and play, no configuration and installation required

Summary: TP-Link TL-SG1005LP. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 5. MAC address table: 2000 entries, Switching capacity: 10 Gbit/s. Networking standards: IEEE 802.1p, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. DC input voltage: 53.5 V. Power over Ethernet (PoE). Wall mountable | Vendor Homepage: <https://www.tp-link.com/uk/business-networking/poe-switch/tl-sg1005lp/> | Quality of Service (QoS) support: Yes | Switch type: Unmanaged | Basic switching RJ-45 Ethernet ports quantity: 5 | Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000) | Gigabit Ethernet (copper) ports quantity: 5 | 10G support: No | Auto MDI/MDI-X: Yes | Auto-negotiation: Yes | Cable types supported: Cat3/Cat4/Cat5/Cat5e/Cat6 | Copper

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

ethernet cabling technology: 1000BASE-T/100BASE-TX/10BASE-T | Flow control support: Yes | MAC address auto-aging supported: Yes | MAC address auto-learning supported: Yes | Networking standards: IEEE 802.1p/IEEE 802.3ab/IEEE 802.3af/IEEE 802.3at/IEEE 802.3i/IEEE 802.3u/IEEE 802.3x | Forwarding rate: 7.44 | Jumbo frames: 16000 | Jumbo frames support: Yes | MAC address table: 2000 | Store-and-forward: Yes | Switching capacity: 10 | IGMP snooping: Yes | LED indicators: Yes | Product colour: Black | Rack mounting: No | Stackable: No | Wall mountable: Yes | Fanless: Yes | Maximum cable length: 100 | AC input frequency: 50/60 | AC input voltage: 100 - 240 | DC input voltage: 53.5 | Input current: 0.81 | Power consumption (max): 47.5 | Power source: DC/PoE | Power supply included: Yes | Power over Ethernet (PoE): Yes | Power over Ethernet plus (PoE+) ports quantity: 4 | Total Power over Ethernet (PoE) budget: 40 | Heat dissipation: 161.98 | Operating relative humidity (H-H): 10 - 90 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -40 - 70 | Depth: 98 | Height: 25 | Width: 99.8 | User guide: Yes | Package depth: 196 | Package height: 121 | Package type: Box | Package weight: 730 | Package width: 131 | Sustainability compliance: Yes | Certification: FCC, CE, RoHS | Compliance certificates: CE/Federal Communications Commission (FCC)/RoHS | Harmonized System (HS) code: 85176990 | Model: TL-SG1005LP | Units per Pallet: 0 | Units per Shipping Box: 12 | Unit Calculated Volume: 0.003959 | Unit Calculated Weight: 0.833

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903