

Bosch GSB 21-2 RCT 3000 RPM Keyless 2.9 kg

Gamintojas: **BOSCH** · Modelis: **0.601.19C.700** · EAN: **3165140505642** · Prekės kodas: **801507**



283,90 €

Kaina su PVM

Be PVM: **234,63 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Keyless Pistol grip drill
- ✓ Drilling Screwdriving Hammer drilling
- ✓ Adjustable speed Adjustable torque
- ✓ Soft grip
- ✓ Chuck capacity (max): 1.3 cm 3000 RPM 51000 bpm 43 N·m
- ✓ Power source: AC 1300 W

Aprašymas

- Robust metal gear housing for a long lifetime

- Antirotation mechanical overload clutch for a high level of work safety, even in the toughest applications
- Single-sleeve keyless chuck with Auto-Lock for quick tool changes with only one hand
- New safety handle with innovative fixing and softgrip for a secure hold on the machine
- Rotating brush plate for constant power in reverse and forward rotation
- Softgrip on main handle for a secure hold
- Ball grommet for high movement radius and for preventing cable breaks
- Spindle collar diameter of 43 mm (European standard) – can be used in drill stands

Techninė specifikacija

Features

Drilling	Yes
Screwdriving	Yes
Hammer drilling	Yes

Product design	Pistol grip drill
Chuck type	Keyless
Adjustable speed	Yes
Adjustable torque	Yes
Reverse	Yes
Soft grip	Yes
Performance	
Chuck capacity (max)	1.3 cm
Number of gears	2
Idle speed (max)	3000 RPM
Drilling diameter in wood (max)	4 cm
Drilling diameter in steel (max)	1.6 cm
Drilling diameter in concrete (max)	2.2 cm
Chuck capacity (min)	1.5 mm
Idle speed (1st gear)	900 RPM
Idle speed (2nd gear)	3000 RPM
Impact rate (high speed)	51000 bpm
Torque (max)	43 N·m
Spindle thread	1/2"
Sound power level	106 dB
Sound pressure level	95 dB
Sound level uncertainty	5 dB
Vibration level (concrete drilling)	14.6 m/s ²
Vibration level uncertainty (concrete drilling)	1.8 m/s ²
Vibration level (metal drilling)	5.6 m/s ²
Vibration level uncertainty (metal drilling)	1.5 m/s ²
Vibration level (screwdriving)	2.5 m/s ²
Vibration level uncertainty (screwdriving)	1.5 m/s ²
Power	
Power source	AC
Input power	1300 W
Output power	695 W
AC input voltage	230 V
Weight & dimensions	
Weight	2.9 kg

Width	363 mm
Depth	220 mm
Height	81 mm
Package width	360 mm
Package depth	390 mm
Package height	110 mm
Matmenys ir svoris	
Svoris	4,76kg

Dokumentai ir vaizdo įrašai

> [Naudojimo instrukcija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Bosch

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt