

StarTech.com 2 Port Professional USB KVM Switch Kit with Cables - TAA

Gamintojas: **STARTECH** · Modelis: **SV231USBGB** · EAN: **065030806039** · Prekės kodas: **801670**



98,91 €

Kaina su PVM

Be PVM: **81,74 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Control 2 computers from one USB keyboard/mouse/monitor
- ✓ Share 3 different USB peripherals using the integrated hub
- ✓ High 1920x1440 resolution capability
- ✓ Front panel push buttons for easy computer selection
- ✓ OS independent - No software or drivers required
- ✓ Supports keyboard and mouse plug and play
- ✓ Selectable auto scan time interval
- ✓ Supports DDC2B VGA monitors
- ✓ Universal Power Adapter with EU and UK prong types included



Aprašymas

Control 2 USB VGA based computers with this complete KVM kit including cables

The SV231USBGB 2 Port Professional USB KVM Switch Kit with Cables offers simple control of 2 computers from a single monitor/display and USB peripheral set (keyboard, mouse).

The 2 Port KVM includes 2 USB KVM cables, for a complete out-of-the-box solution saving you time and money. An integrated 3 port USB hub allows you to share USB peripherals between computers as though they were connected directly. A compact form factor and rear-port connections

minimizes disruption to your workspace.

This OS independent KVM supports resolutions up to 1920x1440, and provides a smooth operating experience in mixed (Windows/Mac/Linux) environments.

Techninė specifikacija

Ports & interfaces	
Number of computers controlled	2
Keyboard port type	USB
Mouse port type	USB
Video port type	VGA
Console ports	USB A, VGA (D-Sub)
VGA (D-Sub) ports quantity	3
Console USB ports quantity	3
Audio connections	No
DC-in jack	Yes
Performance	
Maximum resolution	1920 x 1440 pixels
Scan interval	3,8,15,30 s
Daisy chain	No
Number of users	1 user(s)
Design	
Rack mounting	No
Product colour	Black
Housing material	Steel
Cable length	1.8 m
Maximum cable length	5 m
Hot keys	No
Mean time between failures (MTBF)	111000 h
Certification	CE, FCC, TAA, REACH
Display	
Built-in display	No
On Screen Display (OSD)	No
Power	
Input voltage	100 - 240, 5 V
Input current	0.4 A

Output current	2 A
Power consumption (typical)	10 W
External power adapter	Yes
Power plug type	Type N
Compatible power plug types	EU, UK

Weight & dimensions

Width	124 mm
Depth	70 mm
Height	40 mm
Weight	420 g

Packaging data

Package width	235 mm
Package depth	183 mm
Package height	92 mm
Package weight	1.5 kg

Packaging content

Cables included	KVM
Manual	Yes
AC adapter included	Yes

Logistics data

Harmonized System (HS) code	85176200
Master (outer) case width	317 mm
Master (outer) case length	392 mm
Master (outer) case height	275 mm
Products per master (outer) case	6 pc(s)

Other features

IP control	No
------------	----

Matmenys ir svoris

Matmenys (l × P × A)	24,00cm × 19,00cm × 10,00cm
Svoris	1,18kg

Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.

Artisans Crescent 45, N5V 5E9 Ontario, London,
CA

startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited

Laarderhoogtweg 25, 1101 EB Amsterdam, NL
startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt