

StarTech.com 2 Port USB HDMI Cable KVM Switch with Audio and Remote Switch - USB Powered

Gamintojas: **STARTECH** · Modelis: **SV211HDUA** · EAN: **065030851060** · Prekės kodas: **801712**



117,90 €

Kaina su PVM

Be PVM: **97,44 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Supports HD resolutions (1080p - 1920x1200)
- ✓ Switch PCs via push-button, hot-keys or switching software
- ✓ Space-saving design, minimal footprint
- ✓ Integrated KVM cables and remote switch
- ✓ Switching software supports PC and Mac® platforms
- ✓ USB Powered - No external power adapter required
- ✓ Independent audio/mic switching for uninterrupted audio
- ✓ Analog (3.5mm) and HDMI audio supported
- ✓ Supports hot-plugging
- ✓ Remote switch on 1.5m (5ft.) cable



Aprašymas

Control two HDMI®, USB equipped PCs with a single monitor, keyboard, mouse and audio peripheral set

The SV211HDUA 2-Port HDMI® Cable KVM Switch with Audio and Remote Switching Control lets you control two HDMI, USB equipped PCs with a single monitor, keyboard, mouse and audio peripheral set.

To help organize your desk without sacrificing work space, this compact HDMI USB KVM features integrated cables that can be connected directly to your system, while leaving a minimal footprint. The switch features a remote push-button on a 1.5 meter (5ft) integrated cable that can be placed in an easily accessible location, as well as keyboard hot-keys, and PC or Mac® compatible software for switching between systems. To eliminate the need for a bulky external power adapter and wall outlet, the HDMI KVM switch is USB-powered.

This KVM with HDMI video capability offers support for 1080p HD resolutions (up to 1920x1200) for the ability to drive a large HDMI display for applications that require high graphical output.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

Techninė specifikacija

Ports & interfaces	
Number of computers controlled	2
Keyboard port type	USB
Mouse port type	USB
Video port type	HDMI
Console ports	3.5mm headphone, 3.5mm mic, HDMI, USB A
Console USB ports quantity	2
Audio connections	Yes
Network	
Ethernet LAN	No
Performance	
Maximum resolution	1920 x 1200 pixels
Maximum digital resolution	1920 x 1200 pixels
HDCP	Yes
Hot-Plug support	Yes
Daisy chain	No
Design	
Rack mounting	No
Product colour	Black
Housing material	Plastic
Cable length	0.85 m
LED indicators	Yes
Certification	FCC, CE, REACH
Display	

Built-in display	No
Power	
USB powered	Yes
System requirements	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 2000, Windows 2000 Professional, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Mac operating systems supported	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2016, Windows Server 2019
Sustainability	
Compliance certificates	RoHS
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 90%
Weight & dimensions	
Width	66 mm
Depth	88 mm
Height	23 mm
Weight	350 g
Packaging data	
Package width	162 mm
Package depth	251 mm
Package height	65 mm
Package weight	464 g
Packaging content	

Manual	Yes
Software included	Yes
Logistics data	
Harmonized System (HS) code	85176200
Master (outer) case width	350 mm
Master (outer) case length	442 mm
Master (outer) case height	350 mm
Products per master (outer) case	20 pc(s)
Other features	
Audio support	Yes
IP control	No
Matmenys ir svoris	
Matmenys (I × P × A)	25,00cm × 16,00cm × 6,00cm
Svoris	0,47kg

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.

Artisans Crescent 45, N5V 5E9 Ontario, London,
CA

startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited

Laarderhoogtweg 25, 1101 EB Amsterdam, NL

startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt