

StarTech.com SATA Drive to mSATA Host Adapter for 2.5in / 3.5in SATA Drives - TAA

Gamintojas: **STARTECH** · Modelis: **MSAT2SAT3** · EAN: **065030854825** · Prekės kodas: **801713**



20,90 €

Kaina su PVM

Be PVM: **17,27 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ **IMPROVE STORAGE CAPACITY:** This mSATA to SATA adapter enables support of 2.5in and 3.5in SATA drives from an existing mSATA host port; A cost-effective solution to increase your system storage by adding a higher capacity SATA drive to your PC
- ✓ **ADD SATA CONNECTIVITY:** The mSATA to SATA converter also supports 3.5in SATA devices such as optical disk drives from an existing mSATA port
- ✓ **CONVENIENT SETUP:** This mSATA to SATA adapter includes a mounting screw kit and installs directly onto the motherboard; Supports any operating system, no software or drivers required
- ✓ **COMPATIBILITY:** mSATA to SATA adapter supports SATA III (6 Gbps) and is backward compatible with SATA I/II; Supports 2.5/3.5in SATA drives and SATA devices (Blu-ray, DVD, DVD-RAM, CD-ROM, CD-RW, Hard Disk); Additional power required for 3.5in SATA devices
- ✓ **THE IT PRO'S CHOICE:** Designed and built for IT Professionals, this mSATA to SATA adapter is backed for 2 years, including free lifetime 24/5 multi-lingual assistance



Aprašymas

Turn an mSATA host connection into a standard SATA port

The MSAT2SAT3 mSATA to SATA adapter enables you to connect a standard SATA drive to an available mSATA port.

The adapter improves system capacity by enabling an mSATA port to host a larger SATA hard drive (tested up to 4TB). For guaranteed compatibility and performance the adapter is compliant with SATA I/II/III revisions, allowing for transfer speeds up to 6Gb per second.

The MSAT2SAT3 is backed by a StarTech.com 2-year warranty and free lifetime technical support.

Techninė specifikacija

Ports & interfaces	
Host interface	mSATA
Output interface	SATA
SATA revision	3
Design	
Internal	Yes
Product colour	Green
Features	
Data transfer rate (max)	6 Gbit/s
Operational conditions	
Operating temperature (T-T)	5 - 50 °C
Storage temperature (T-T)	-25 - 70 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	15 - 90%
Technical details	
Compliance certificates	CE, RoHS
Weight & dimensions	
Width	30 mm
Depth	51 mm
Height	8 mm
Weight	10 g
Packaging data	
Screws included	Yes
User guide	Yes
Package width	126 mm

Package depth	150 mm
---------------	--------

Package height	14 mm
----------------	-------

Package weight	15 g
----------------	------

Logistics data

Harmonized System (HS) code	84733020
-----------------------------	----------

Products per master (outer) case	100 pc(s)
----------------------------------	-----------

Master (outer) case width	292 mm
---------------------------	--------

Master (outer) case length	686 mm
----------------------------	--------

Master (outer) case height	218 mm
----------------------------	--------

Matmenys ir svoris

Matmenys (I × P × A)	12,00cm × 10,00cm × 2,00cm
----------------------	----------------------------

Svoris	0,02kg
--------	--------

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.

Artisans Crescent 45, N5V 5E9 Ontario, London,
CA
startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited

Laarderhoogtweg 25, 1101 EB Amsterdam, NL
startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt