InLine USB 3.2 Gen.1 active extension, USB-C male to USB-C female, 15m

Gamintojas: **INLINE** · Modelis: **35656C** · EAN: **4043718315031** · Prekės kodas: **802264**



84,91 €

Kaina su PVM

Be PVM: **70,17 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ USB 3.2 Gen.1 compatible
- ✓ Active USB 3.2 Gen.1 cable with integrated electronics for optimum signal transmission
- ✓ Data transfer rate up to 5 Gb/s
- ✓ Hot-swap Plug and Play compatible, can be used during operation
- ✓ With power supply: AC 100-240V, 50/60Hz, DC 5.0V/1.0A (max. 5.0W)





Aprašymas

The powerful active USB 3.2 Gen.1 extension cable from InLine is the ideal solution to move USB ports from inaccessible places to the desired position. Long distances of up to 15 meters can be bridged without loss or interference thanks to the integrated electronics. The USB extension is used for hard drives, printers, webcams, headsets, mice, keyboards and other USB devices. The data transfer rate of up to 5 Gb/s enables lightning-fast and reliable data transfer. For extensions of 10 meters and longer, we recommend using the included plug-in power supply.

USB 3.2 Gen.1 compatible
Active USB 3.2 Gen.1 cable with integrated electronics for optimum signal transmission
Data transfer rate up to 5 Gb/s
Hot-swap Plug and Play compatible, can be used during operation
USB-C male to USB-C female

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Housing: plastic
Colour: black
Supports operating systems from Windows 7 and MacOS 10 and newer
Note: This article is not cascadable, can not be extended by more active extensions
With power supply: AC 100-240V, 50/60Hz, DC 5.0V/1.0A (max. 5.0W)

External plug-in power supply unit data:

Input voltage: 100-240V AC
Input AC frequency: 50/60 Hz, 0.3 A
Output voltage: 5.0 V DC
Output current: max. 1.0 A
Output power: 5.0 W
Average efficiency during operation: 75.59 %
Power consumption at no load: 0.075 W

Note: Video features such as DisplayPort Alternate Mode via the USB port are not supported with this USB-C extension.

Techninė specifikacija

Features	
USB version	USB 3.2 Gen 1 (3.1 Gen 1)
Connector 1	USB C
Connector 2	USB C
Connector 1 gender	Male
Connector 2 gender	Female
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector housing material	Plastic
Maximum data transfer rate	5000 Mbit/s
Maximum data transfer rate	5 Gbit/s
Cable type	Round cable
Plug and Play	Yes
Power	
Input voltage	100 - 240 V
Input current (max)	0.3 A
Output voltage	5 V
Output current (max)	1 A
Weight & dimensions	
Cable length	15 m

Width	24 mm
Depth	15000 mm
Height	15 mm
Weight	723 g
Dimensions (WxDxH)	24 x 15000 x 15 mm
Packaging data	
Package type	Bag
Package width	142 mm
Package depth	290 mm
Package height	72 mm
Package weight	836 g
Packaging content	
Quantity per pack	1 pc(s)

Gamintojo ir saugos informacija

GAMINTOJAS

InLine

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt