

InLine USB 3.2 Gen.2 cable, USB-C male/male angled, black, 1m

Gamintojas: **INLINE** · Modelis: **35701W** · EAN: **4043718307395** · Prekės kodas: **802269**



22,91 €

Kaina su PVM

Be PVM: **18,93 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 1 m
- ✓ USB C Angled Male
- ✓ USB C Straight Male
- ✓ USB 3.2 Gen 2 (3.1 Gen 2) 20000 Mbit/s USB Power Delivery (USB PD) 3.0 100 W
- ✓ Black
- ✓ 1 pc(s)

Aprašymas

Extremely high data rate up to 20 Gb/s: Ideal for connecting high-speed peripherals such as SSDs, external graphics cards, or docking stations with USB-C.

Supports USB Power Delivery up to 100 W: The cable enables fast and reliable charging of USB-C notebooks, tablets, and other devices.

Angled USB-C connectors for space-saving use: Perfect for installations with limited space, e.g., in IT racks or control cabinets.

High-quality construction with twisted wire pairs: Ensures high signal stability even in the presence of electromagnetic interference in professional environments.

A variety of cable lengths for flexible use: Available in five lengths from 0.3 m to 2 m – the right variant for every application.

The InLine® USB 3.2 Gen.2 cable with angled USB-C connectors offers a reliable and powerful connection for professional applications. With a data transfer rate of up to 20 Gb/s (USB 3.2 Gen.2x2, dual lane), it is ideal for use with external SSDs, USB-C graphics cards, or high-resolution monitors. Support for USB Power Delivery 3.0 up to 100 W/5A enables fast charging of powerful devices such as notebooks or tablets. Thanks to its high-quality construction with twisted wire pairs, the cable ensures particularly stable signal transmission – even in the presence of electromagnetic interference. The angled USB-C connectors ensure space-saving installation, especially in tight installation situations such as IT racks or industrial enclosures. The different lengths offer maximum flexibility for every application in a professional environment.

USB standard: USB 3.2 Gen.2x2

Connector: USB-C connector to USB-C connector (angled)

Max. data rate: 20 Gb/s (dual lane)

Supports USB Power Delivery 3.0 up to 100 W/5A
Cable construction: Twisted pair
Available lengths: 0.3 m / 0.5 m / 1 m / 1.5 m / 2 m
Color: Black

Techninė specifikacija

Features	
USB version	USB 3.2 Gen 2 (3.1 Gen 2)
Connector 1	USB C
Connector 2	USB C
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Connector 1 form factor	Angled
Connector 2 form factor	Straight
Maximum data transfer rate	20000 Mbit/s
Maximum data transfer rate	20 Gbit/s
Cable type	Round cable
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
USB Power Delivery up to	100 W
Power	
Input current (max)	5 A
Weight & dimensions	
Cable length	1 m
Width	25 mm
Depth	1000 mm
Height	7 mm
Dimensions (WxDxH)	25 x 1000 x 7 mm
Packaging data	
Package type	Hanging box
Package width	107 mm
Package depth	185 mm
Package height	23 mm
Package weight	55 g

Packaging content

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Package volume	600 cm ³
----------------	---------------------

Gamintojo ir saugos informacija

GAMINTOJAS

Intos Electronic AG

Siemensstraße 11, D-35394 Gießen, DE

service@inline-info.com

[intos.de](https://www.intos.de)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt