InLine Patch Cable S/FTP PiMF Cat.6 250MHz PVC copper black 0.5m

Gamintojas: **INLINE** · Modelis: **76450S** · EAN: **4043718036509** · Prekės kodas: **802351**



15,90 €

Kaina su PVM

Be PVM: **13,14 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 0.5 m
- ✓ RJ-45 Male
- ✓ RJ-45 Male
- ✓ Cat6 S/FTP (S-STP)
- ✓ 1000 Mbit/s
- ✓ Plug and Play
- ✓ Black





Aprašymas

Reliable Gigabit performance: Cat.6 specification with 250 MHz supports fast and stable 1Gb/s connections in professional networks.
Excellent shielding: S/FTP construction with paired metal foil shielding (PiMf) and overall shield minimizes interference and crosstalk.
Robust workmanship: High-quality solid copper strands (AWG27) and molded kink protection ensure a durable and secure installation.
Practical connector labeling: Colored RJ45 connectors with printed cable length make it easy to identify them during installation.
Flexible PVC jacket: Ideally suited for installation in cable ducts, patch panels, or server racks—without any restrictions on mobility.

InLine® Cat.6 patch cables with S/FTP shielding and PiMf construction offer reliable, high-performance connections for modern network infrastructures. Thanks to high-quality solid copper strands (AWG27) and sophisticated manufacturing with molded kink protection, the cables ensure long-lasting, stable transmission quality. The robust PVC jacket offers high flexibility and facilitates installation even in confined conditions.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

The double shielding—consisting of paired foil shielding and additional overall braided shielding—effectively protects the signal against external sources of interference and reduces crosstalk. Colored RJ45 connectors with length markings facilitate the installation and management of complex network systems. With EIA/TIA 568B 1:1 pin assignment, the cables meet all common standards for professional applications and ensure uncomplicated integration into existing networks.
Whether in data centers, server rooms, office buildings, or home offices: InLine® Cat.6 patch cables are the optimal choice for demanding Gigabit networks.

2x RJ45 plugs, molded
Category: Cat.6, 250MHz
Shielding: S/FTP (PiMf) - paired in metal foil, overall shield
Conductor material: solid copper (AWG27)
Jacket material: PVC
Assignment: 1:1 according to EIA/TIA 568B
Length marking on the connector
POS-compatible packaging with EAN code

Techninė specifikacija

Features	
Cable length	0.5 m
Cable standard	Cat6
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 2	RJ-45
Product colour	Black
Connector 1 gender	Male
Connector 2 gender	Male
Jacket material	Polyvinyl chloride (PVC)
Conductor material	Copper
Cabling technology	10/100/1000Base-T(X)
AWG wire size	27
Data transfer rate	1000 Mbit/s
Frequency	250 MHz
Plug and Play	Yes
Weight & dimensions	
Width	12 mm
Depth	500 mm
Height	15 mm
Weight	25 g
Packaging data	

Package width	100 mm
Package depth	140 mm
Package height	15 mm
Package weight	28 g
Package volume	200 cm³
Other features	
Dimensions (WxDxH)	12 x 500 x 15 mm

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

Intos Electronic AG
Siemensstraße 11, D-35394 Gießen, DE
service@inline-info.com
intos.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.