# ACT USB4® 40Gbps 240W USB Type-C® Cable, USB-IF certified 0.8 meters

Gamintojas: **ACT** · Modelis: **AC7451** · EAN: **8716065501988** · Prekės kodas: **802453**



**39,91 €**

Kaina su PVM

Be PVM: **32,98 €**

**Sandėlyje**

**Prekė internetu**

Nuskenuokite kodą arba apsilankykite www.shopro.lt

## Pagrindinės savybės

- ✓ Officially USB-IF certified USB4® connection cable with Thunderbolt™4 support
- ✓ Data transfer speed up to 40Gbps
- ✓ Extended Power Range (EPR) up to 48V @ 5A = 240W
- ✓ Maximum video resolution: 1x 8K @ 60Hz or 2x 4K @60Hz
- ✓ Connectors: C male - C male
- ✓ Cable length: 0.8 meters
- ✓ Backwards compatible with Thunderbolt™3, USB 3.2 and USB 2.0
























## Aprašymas

**The AC7451 is an official USB-IF certified USB-C cable that supports the USB4® protocol and Thunderbolt™4. The USB4® cable can reach a maximum data transfer speed up to 40Gbps and can handle 240W power because of the Extended Power Range. The AC7451 supports a maximum resolution of one 8K monitor or two 4K monitors in daisy chain mode. Backwards compatible with Thunderbolt™3, USB 3.2 and USB 2.0.**

### Fast data, high power and video via ONE USB4® cable

The AC7451 includes an intelligent e-marker chip. This chip communicates with the connected devices, e.g. laptop or charger, which features are supported by the cable. The AC7451 can handle data, power and video.

### USB4® 40Gbps and Thunderbolt™4 support

The AC7451 USB-C cable includes the USB4® technology with Thunderbolt™4. The cable supports a maximum data transfer speed up to 40Gbps.

### Power Delivery: Extended Power Range 240W

The EPR adds additional Power Delivery profiles, 28V, 36V and 48V, to the USB4® cable. The AC7451 includes the 48V profile that enables the cable to transfer a maximum power of 240W. As cables with SPR (Standard Power Range) only can deliver 60W.

### DisplayPort Alternate Mode protocol

The USB4® cable supports the DisplayPort Alternate Mode (DP Alt Mode) protocol to distribute video over USB-C. The AC7451 has a maximum resolution of one 8K @ 60Hz monitor or two 4K @ 60Hz monitors in the daisy chaining setup.

### Officially USB-IF certified

The AC7451 is officially certified by the USB-IF corporation. The cable is tested to the highest standards by USB-IF. The official USB-IF logo can be found on the connector. ACT is member of the USB Implementers Forum, Inc.

## Techninė specifikacija

| Features | |
|---|---|
| USB version | USB4 Gen 3x2 |
| Connector 1 | USB C |
| Connector 2 | USB C |
| Connector 1 gender | Male |
| Connector 2 gender | Male |
| Product colour | Black |
| Connector 1 form factor | Straight |

| | |
|---|---|
| Connector 2 form factor | Straight |
| AWG wire size | 23/30/34 |
| Magnetically shielded | Yes |
| Cable jacket material | Polyvinyl chloride (PVC) |
| Conductor material | Tinned copper |
| Maximum data transfer rate | 40000 Mbit/s |
| Maximum data transfer rate | 40 Gbit/s |
| Cable type | Round cable |
| USB Power Delivery (USB PD) | Yes |
| USB Power Delivery up to | 240 W |
| **Power** | |
| Output voltage | 48 V |
| Output current (max) | 5 A |
| **Weight & dimensions** | |
| Cable length | 0.8 m |
| **Packaging data** | |
| Package type | Polybag |
| Package width | 130 mm |
| Package depth | 15 mm |
| Package height | 210 mm |
| Package weight | 52 g |
| **Packaging content** | |
| Quantity per pack | 1 pc(s) |

## Dokumentai ir vaizdo įrašai

- Gaminio lankstinukas
- Atitikties deklaracija

## Gamintojo ir saugos informacija

GAMINTOJAS

**Intronics BV**
Koolhovenstraat 1E, 3772 MT Barneveld, NL
intronics.nl

PLATINTOJAS

**MB KOMPIUTERIŲ GURU**
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

**Saugos dokumentai**

- Atitikties deklaracija

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.