CLUB3D HDMI KVM SWITCH FOR DUAL HDMI 4K 60Hz

Gamintojas: **CLUB 3D** · Modelis: **CSV-1382** · EAN: **8719214472245** · Prekės kodas: **802904**



160,91 €

Kaina su PVM

Be PVM: **132,98 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Support resolution up to 4Kx2K@60Hz
- ✓ Support RGB 4:4:4/ YCbCr 4:4:4/ YCbCr 4:2:2/ YCbCr 4:2:0
- ✓ Support KVM function
- ✓ Support a HDMI™ display and a set of Keyboard and Mouse to control two PCs with HDMI™ ports
- ✓ Support 6Gbps per channel (18Gbps all channels) bandwidth
- ✓ Support 12bit per channel (36bit all channels) deep color
- ✓ Support HDCP 2.2/1.4
- ✓ Support 3D
- ✓ Support HDR
- ✓ Support infrared remote control function
















Aprašymas

The CSV-1382 is a high performance HDMI™ KVM (Keyboard Video and Mouse) switcher. It routes high definition videos up to 4096x2160 at 60Hz resolution and audio from any HDMI™ source to any HDMI™ supported display. This HDMI™ KVM switcher not only has the key press switching function, but also has an intelligent function as well as hot pluggable function.

Techninė specifikacija

Ports & interfaces	
Number of computers controlled	2
Keyboard port type	USB
Mouse port type	USB
Video port type	HDMI
Console ports	3.5mm headphone, 3.5mm mic, HDMI, USB B
HDMI ports quantity	3
USB 3.2 Gen 1 (3.1 Gen 1) Type-B ports quantity	2
Audio connections	Yes
Headphone outputs	4
Number of microphone inputs	4
DC-in jack	Yes
Performance	
HD type	4K Ultra HD
Maximum resolution	4096 x 2160 pixels
Video bandwidth	60 Hz
Data transfer rate (max)	18 Gbit/s
High Dynamic Range (HDR) supported	Yes
HDCP	Yes
Plug and Play	Yes
HDCP version	1.4/2.2
Design	
Rack mounting	No
Product colour	Black

Housing material	Metal
LED indicators	Yes
Display	
Built-in display	No
Power	
Power source	DC
Input voltage	5 V
Power consumption (typical)	12 W
External power adapter	Yes
System requirements	
Windows operating systems supported	Yes
Linux operating systems supported	Yes
Mac operating systems supported	Yes
Operational conditions	
Operating temperature (T-T)	0 - 45 °C
Storage temperature (T-T)	-10 - 80 °C
Operating relative humidity (H-H)	10 - 85%
Storage relative humidity (H-H)	5 - 90%
Weight & dimensions	
Width	178 mm
Depth	75 mm
Height	26 mm
Weight	365 g
Packaging data	
Package width	230 mm
Package depth	65 mm
Package height	210 mm
Package weight	783 g
Package type	Box
Paper/cardboard packaging weight	147 g
Plastic packaging weight	6 g
Total plastic packaging weight	0.12 g
Total paper/cardboard packaging weight	2.94 g
Packaging content	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Cables included	USB Type-A to USB Type-B
Quick installation guide	Yes
AC adapter included	Yes
Remote control included	Yes
Logistics data	
Harmonized System (HS) code	84733020

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

CLUB3D

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt