

Techly IDATA HDMI-KVM2 KVM extender Transmitter & receiver

Gamintojas: **TECHLY** · Modelis: **IDATA-HDMI-KVM2** · EAN: **8054529028214** · Prekės kodas: **803313**



237,90 €

Kaina su PVM

Be PVM: **196,61 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Extend HDMI signal up to 120 meters via a single network cable
- ✓ The highest resolution supported is up to 1080p@60Hz
- ✓ LED indicators, know the status of power and USB connection easily
- ✓ Support KVM function, remote control conveniently
- ✓ Support LAN standard 802.3 Ethernet 10/100/1000Mbps
- ✓ Compliant STP and UTP CAT5/5e/6 network cables
- ✓ Aluminum alloy housing design, stable and durable



Aprašymas

This HDMI KVM extender transmits HDMI signal up to 120 meters via network cable, and the resolution supported is up to 1080p@60Hz. It allows access to a computer system from a remote console by USB connectors(USB keyboard and mouse).

Techninė specifikacija

Features	
Type	Transmitter & receiver
Connectivity technology	Wired
Maximum transfer distance	120 m
Cable types supported	Cat5, Cat5e, Cat6
Maximum digital resolution	1920 x 1080 pixels
Product colour	Black
Material	Aluminium
LED indicators	Yes
Certification	CE
Audio support	Yes
Transmitter	
Transmitter video port type	HDMI
Transmitter local keyboard/mouse port type	USB
RJ-45 ports quantity (transmitter)	1
Receiver	
Receiver local video port type	HDMI
Receiver local keyboard/mouse port type	USB
RJ-45 ports quantity (receiver)	1
Ports & interfaces	
USB 2.0 ports quantity	2
HDMI version	1.3
Power	
AC adapter output voltage	5 V
AC adapter output current	1 A
Power consumption (transmitter) (max)	3.5 W
Power consumption (receiver) (max)	3.5 W
Weight & dimensions	
Transmitter width	8.95 cm
Transmitter depth	11 cm
Transmitter height	2.63 cm
Transmitter weight	160 g
Receiver width	8.95 cm

Receiver depth	11 cm
Receiver height	2.63 cm
Receiver weight	170 g
Packaging content	
AC adapter included	Yes
Manual	Yes
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Operating relative humidity (H-H)	0 - 95%
Other features	
Compliance certificates	CE
Technical details	
Weight	906 g
Logistics data	
Harmonized System (HS) code	84733080

Dokumentai ir vaizdo įrašai

› [Naudojimo instrukcija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

IC Intracom Italia S.p.A.

Viale Europa 33, 33077 Sacile Pordenone, IT

techly.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt