StarTech.com 2 Port Dual DVI USB KVM Switch with Audio & USB 2.0 Hub - TAA

Gamintojas: **STARTECH.COM** · Modelis: **SV231DD2DUA** · EAN: **065030835718** · Prekės kodas: **803625**



184,90 €

Kaina su PVM

Be PVM: **152,81 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Front panel push-buttons and Hot-key functions for easy switching
- ✓ Supports resolutions up to 1920x1200 (DVI-Digital)
- ✓ USB 2.0 hub for peripheral sharing (Thumb drives, external hard drives, web cams, etc.)
- ✓ Audible tone confirms port switching
- ✓ Combined or independent switching of audio ports
- ✓ EDID retention - eliminates hassle when switching between computers as the KVM "remembers" monitor settings
- ✓ Supports all USB-capable operating systems (Windows 98e/SE/ME/2000/XP/Vista/7, Linux, Mac OS, etc.)
- ✓ TMDS compliant to support DDC2B emulation and HDCP for digital contents protection
- ✓ Status LED display for easy port status monitoring





Aprašymas

Share a keyboard, mouse and dual DVI displays/monitors between 2 multimedia computers

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

The SV231DD2DUA 2-port Dual DVI USB KVM Switch allows two PCs, each with dual DVI video outputs, to share two monitors, one microphone and set of speakers, one keyboard and one mouse as well as two other USB peripherals.

An ideal solution for graphic designers, CAD/CAM designers or educational and financial institutions, the dual view KVM Switch allows you to instantly switch back and forth between dual DVI display PCs at the touch of a button, while maintaining professional level video quality on both monitors. The dual DVI switch also features an integrated USB hub port that allows USB 2.0 peripherals such as thumb drives, external hard drives or web cams to be shared between attached systems - eliminating duplicate peripheral costs.

Please Note: This KVM switch supports DVI-D (digital) signaling only and it is recommended wherever possible to use DVI-D cabling across all PC to KVM and KVM to Console connections to ensure proper function. Please contact technical support if you require assistance identifying the proper cables.

This product is TAA compliant and backed by a Startech.com 3 year warranty with free lifetime technical support.

Techninė specifikacija

Ports & interfaces	
Number of computers controlled	2
Keyboard port type	USB
Mouse port type	USB
Video port type	DVI-I
Headphone outputs	4
Performance	
Maximum resolution	2048 x 1536 pixels
Number of users	1 user(s)
Design	
Product colour	Black
Certification	RoHS
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	90 - 90%
Weight & dimensions	
Weight	750 g
Packaging data	
Package width	196 mm
Package depth	295 mm
Package height	72 mm
Package weight	1.26 kg
Other features	

Connectivity technology	Wired
Power supply type	115 AC
Dimensions (WxDxH)	160 x 100 x 57 mm
Ports quantity	2
Compatible operating systems	Windows 98e/SE/ME/2000/XP/Vista, Linux, Mac OS
Power requirements	9 V, 1.7 A
I/O ports	6x 24 pin DVI-I F 4x USB A F 2x USB B F
Logistics data	
Harmonized System (HS) code	85176200
Master (outer) case width	461 mm
Master (outer) case length	419 mm
Master (outer) case height	337 mm
Products per master (outer) case	12 pc(s)

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.
Artisans Crescent 45, N5V 5E9 Ontario, London, CA
startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited
Laarderhoogtweg 25, 1101 EB Amsterdam, NL
startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt