

ATEN VS481B video switch HDMI

Gamintojas: **ATEN** · Modelis: **VS481B** · EAN: **672792005732** · Prekės kodas: **803914**



70,91 €

Kaina su PVM

Be PVM: **58,60 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Allows up to four HDMI A/V sources to be connected to one HDMI display
- ✓ Quick and easy switching between HDMI sources via front panel pushbuttons, RS-232 or IR Remote control
- ✓ Supports 340MHz bandwidth for ultrahigh 4Kx2K video
- ✓ HDMI (3D, Deep Color, 4Kx2K); HDCP compatible
- ✓ Auto switching modes for auto port selection
- ✓ Long distance transmission – up to 15 m (24 AWG)
- ✓ Consumer Electronics Control (CEC) support
- ✓ Supports Dolby True HD and DTS HD Master Audio
- ✓ Built-in bi-directional RS-232 serial remote port for high-end system control
- ✓ Instant switching between HDMI input sources



Aprašymas

The VS481B 4-Port HDMI Switch allows you to quickly connect 4 HDMI sources to your HDMI display and easily switch between them via front panel pushbuttons, RS-232 or IR remote control. The front panel's LEDs indicate the source device selected for the display at a glance.

The VS481B supports Ultra HD 4Kx2K, the newest resolution for high definition displays; Auto Switching modes for auto port selection; Instant Switching for a smooth video transition between HDMI ports with increased efficiency; and features a built-in bi-directional RS-232 serial port that allows the switch to be controlled through a high-end controller, PC, and/or home automation/home theater software package.

Techninė specifikacija

Ports & interfaces	
Video port type	HDMI
HDMI in	4
Number of HDMI outputs	1
RS-232 ports	1
DC-in jack	Yes
Features	
Material	Metal
Product colour	Black, White
Supported graphics resolutions	640 x 480 (VGA), 800 x 600 (SVGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 1200 (UXGA), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 4096 x 2160
Supported video modes	480p, 720p, 1080i, 1080p, 2160p
LED indicators	Yes
Power	
AC adapter output voltage	5 V
Power consumption (typical)	5 W
Weight & dimensions	
Width	200 mm
Depth	82.5 mm
Height	25 mm
Weight	470 g
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 80%
Logistics data	
Harmonized System (HS) code	85176990

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Greitos pradžios vadovas](#)
- › [Gaminio lankstinukas](#)
- › [Gaminio informacijos lapas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

ATEN INTERNATIONAL CO., LTD.

Datung Road No.125, Sec. 2, 221 New Taipei City, TW

aten.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt