ACT USB4 20Gbps 240W USB Type-C Cable, 2 meters

Gamintojas: **ACT** · Modelis: **AC7422** · EAN: **8716065569735** · Prekės kodas: **804293**

25,89 €

Kaina su PVM

Be PVM: **21,40 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ USB4® cable for connecting and charging USB-C devices
- ✓ Data transfer speed up to 20Gbps
- ✓ Power Delivery: Extended Power Range (EPR) up to 48V @ 5A = 240W
- ✓ DisplayPort Alternate Mode 1.4 support with a maximum video resolution up to 4K@60Hz
- ✓ Connectors: USB-C male - USB-C male
- ✓ Cable length: 2 meters
- ✓ Backwards compatible with USB 3.2, USB 3.1, USB 3.0 and USB 2.0

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Aprašymas

Connect your USB-C devices with the AC7422 USB4® 20Gbps USB-C cable. The cable can reach a maximum data transfer speed up to 20Gbps and can handle 240W power because of the Extended Power Range. The AC7422 supports DisplayPort Alternate Mode 1.4 with a maximum resolution up to 4K@60Hz and is backwards compatible with USB 3.2, USB 3.1, USB 3.0 and USB 2.0.

Fast data, high power and video via one USB4® cable

The AC7422 includes an intelligent e-marker chip. This chip communicates with the connected devices, e.g. laptop or charger, the supported features of the cable. The AC7422 can handle data, power and video.

USB4® 20Gbps

The AC7422 USB-C cable includes the USB4® technology. The cable supports a maximum data transfer speed up to 20Gbps.

Power Delivery: Extended Power Range 240W

The EPR adds additional Power Delivery profiles, 28V, 36V and 48V, to the USB4® cable. The AC7422 includes the 48V profile that enables the cable to transfer a maximum power of 240W. As other cables with SPR (Standard Power Range) and without e-marker only can deliver 60W.

DisplayPort Alternate Mode protocol

The USB4® cable supports the DisplayPort Alternate Mode 1.4 (DP Alt Mode) protocol to distribute video over USB-C. The AC7422 supports a maximum resolution of 4K@60Hz.

Techninė specifikacija

Features	
USB version	USB4 Gen 2x2
Connector 1	USB C
Connector 2	USB C
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
AWG wire size	24/32
Cable jacket material	Polyvinyl chloride (PVC)
Conductor material	Copper
Maximum data transfer rate	20 Gbit/s
Cable type	Round cable
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	240 W

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

USB Type-C DisplayPort Alternate Mode	Yes
DisplayPort version	1.4
Maximum resolution	7680 x 4320 pixels
Power	
Output voltage	5 - 48 V
Output current (max)	5 A
Weight & dimensions	
Cable length	2 m
Cable diameter	5 mm
Packaging content	
Quantity per pack	1 pc(s)

Gamintojo ir saugos informacija

GAMINTOJAS

Intronics BV
Koolhovenstraat 1E, 3772 MT Barneveld, NL
intronics.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.