

ACT AC7050 sąsajos šakotuvas USB 3.2 Gen 1 (3.1 Gen 1) Type-C 5000 Mbit/ai Pilka

Gamintojas: **ACT** · Modelis: **AC7050** · EAN: **8716065395556** · Prekės kodas: **806267**



39,91 €

Kaina su PVM

Be PVM: **32,98 €**

Sandėlyje





Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Priimančioji sąsaja: USB 3.2 Gen 1 (3.1 Gen 1) Type-C
- ✓ „USB Power Delivery“
- ✓ Lizdo sąsajos: USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-C
- ✓ Integruotas kortelių skaitytuvas MicroSD (TransFlash), SD
- ✓ Portų kiekis: 6
- ✓ Pilka Aliuminis
- ✓ 5000 Mbit/ai



Aprašymas

Connect 3 USB-A devices to your laptop with USB-C with the AC7050 3-Port USB-C 3.2 Gen1 (USB 3.0) Hub. Besides, the AC7050 is also equipped with a micro SD/SD card reader and USB-C pass-through port with Power Delivery. The hub is a plug and play device. No additional power supply is needed

Connect USB-A peripherals to your notebook with USB-C

Does your notebook only have USB-C ports? Connect the AC7050 to your notebook and use your USB-A flash drive, external HDD or other USB-A peripherals on your notebook.

USB-C pass-through port

The AC7050's USB-C pass-through port supports power delivery for charging your notebook. Your notebook is always charged with the right amount of power thanks to the pre-defined Power Delivery profiles. The charger communicates with the notebook to negotiate the most effective charging profile.

SD card and micro SD card reader

Transfer files, documents and pictures from your SD and micro SD cards to the notebook with USB-C at a speed of 5Gbps. The AC7050 supports the most common used memory cards.

Plug and play, no additional power supply needed

The AC7050 is a plug and play device and is powered by the USB port of the laptop. No additional power supply is needed. The 3-Port Hub is backwards compatible with USB 2.0 specifications.

Techninė specifikacija

Ryšys	
Portų kiekis	6
Priimančioji sąsaja	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
Lizdo sąsajos	USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 2.0 portų kiekis	0
USB 3.2 (3.1 1 kart.) A tipo prievadų skaičius	3
USB 3.2 (3.1 1 kart.) C tipo prievadų skaičius	1
HDMI portų kiekis	0
Integruotas kortelių skaitytuvas	Taip
Kortelių skaitytuvo anga	2
Suderinamos atminties kortelės	MicroSD (TransFlash), SD
Savybės	
Duomenų perdavimo sparta	5000 Mbit/ai
Produkto spalva	Pilka
Korpuso medžiaga	Aliuminis

„USB Power Delivery“	Taip
USB maitinimo tiekimas iki	85 W
„Plug and Play“ funkcija	Taip
Energijos valdymas	
Maitinimo šaltinio tipas	USB
Svoris ir matmenys	
Plotis	29 mm
Ilgis	110 mm
Aukštis	10 mm
Svoris	54 g
Pakuotės duomenys	
Kiekis pakuotėje	1 vnt
Pakuotės plotis	125 mm
Pakuotės gylis	25 mm
Pakuotės aukštis	160 mm
Paketo svoris	95 g
Pakuotės tipas	„Box“
Aplinkos sąlygos	
Minimali darbinė temperatūra	0 °C
Darbo temperatūros diapazonas (TT)	0 - 45 °C
Darbo santykinės drėgmės diapazonas	10 - 85%
Logistikos duomenys	
Darniosios sistemos (DS) kodas	84719000
Matmenys ir svoris	
Svoris	1,00kg

Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Intronics BV

Koolhovenstraat 1E, 3772 MT Barneveld, NL

intronics.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt