

InLine USB 3.2 Gen.1 active cable, USB-C male to USB-C male, 10m

Gamintojas: **INLINE** · Modelis: **35671C** · EAN: **4043718315116** · Prekės kodas: **806989**



60,90 €

Kaina su PVM

Be PVM: **50,33 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ USB 3.2 Gen.1 compatible
- ✓ Active USB 3.2 Gen.1 cable with integrated electronics for optimum signal transmission
- ✓ Data transfer rate up to 5 Gb/s
- ✓ Hot-swap Plug and Play compatible, can be used during operation
- ✓ With power supply: AC 100-240V, 50/60Hz, DC 5.0V/1.0A (max. 5.0W)



Aprašymas

Stable data transfer over long distances: Integrated signal amplification ensures reliable USB 3.2 Gen.1 connections with up to 5 Gbps, even with cable lengths of up to 15 m.

High compatibility: Supports USB-C devices from a wide range of manufacturers, including docking stations, monitors, storage solutions, and peripherals.

Active electronics for consistent signal quality: Integrated repeater technology automatically compensates for signal loss and ensures consistently high transmission quality.

Flexible application options: Ideal for professional applications in IT, industry, or conference environments, plug & play without additional drivers.

Optional power supply: Variants with power supply provide additional stability for particularly long cable lengths or power-hungry USB-C devices.

The InLine® USB 3.2 Gen.1 active cable with USB-C connectors on both ends was developed for professional use to reliably transfer data over longer

distances. Thanks to the integrated electronics, the signal is actively amplified so that consistently high data quality is achieved even with cable lengths of up to 15 meters.

The cable supports a data transfer rate of up to 5 Gb/s, making it ideal for applications that require a stable and fast connection between two USB-C devices, such as docking stations, monitors, external hard drives, measuring devices, or audio/video components.

Thanks to the USB 3.2 Gen.1 standard, the cable remains backward compatible with older USB versions and offers maximum flexibility in use. Variants with an included power supply also enable the supply of energy-intensive devices and ensure constant performance even with high data loads.

The robust plastic housing and high-quality workmanship ensure a long service life.

- Connectors:**USB-C plug to USB-C plug
- Standard:**USB 3.2 Gen.1 (up to 5 Gb/s)
- Signal processing:**Integrated signal amplification (active)
- Convenience:**Hot-swap, plug & play compatible
- Color:**Black
- Housing material:**Plastic
- Operating systems:**Supports Windows 7 and above and macOS 10 and above
- Note:**Not cascaded (cannot be extended with additional active cables)
- 10 m and 15 m versions:**Includes plug-in power supply for additional signal stability
- Power supply:**AC 100-240 V, 50-60 Hz, DC 5.0 V / 1.0 A (max. 5.0 W)

Techninė specifikacija

Features	
USB version	USB 3.2 Gen 1 (3.1 Gen 1)
Connector 1	USB C
Connector 2	USB A
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector housing material	Plastic
Maximum data transfer rate	5000 Mbit/s
Maximum data transfer rate	5 Gbit/s
Cable type	Round cable
Plug and Play	Yes
Power	
Input voltage	100 - 240 V
Input current (max)	0.3 A
Output voltage	5 V
Output current (max)	1 A

Weight & dimensions

Cable length	10 m
Width	24 mm
Depth	10000 mm
Height	15 mm
Weight	498 g
Dimensions (WxDxH)	24 x 10000 x 15 mm

Packaging data

Package type	Box
Package width	148 mm
Package depth	291 mm
Package height	72 mm
Package weight	611 g

Packaging content

Quantity per pack	1 pc(s)
-------------------	---------

Matmenys ir svoris

Svoris	0,61kg
--------	--------

Gamintojo ir saugos informacija

GAMINTOJAS

Intos Electronic AG

Siemensstraße 11, D-35394 Gießen, DE

service@inline-info.com

[intos.de](https://www.intos.de)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt