

ACT USB-C 3.2 Gen2 Active Optical Cable (AOC) connection cable, 3m

Gamintojas: **ACT** · Modelis: **AK4303** · EAN: **8716065513509** · Prekės kodas: **807559**



137,90 €

Kaina su PVM

Be PVM: **113,97 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Cable length: 10 meters
- ✓ USB-C Active Optical Cable (AOC) for connecting USB-C devices over a long distance without data/video/power loss
- ✓ USB-C 3.2 Gen2 for a data/video transfer up to 10Gbps
- ✓ Power Delivery (PD) support up to 20V @ 3A = 60W
- ✓ DisplayPort Alternate Mode support up to 4K @ 60Hz
- ✓ Highly resistant to RFI/EMI thus suitable for sensitive applications
- ✓ Hybrid fiber/copper design with Kevlar protected fiber
- ✓ Downwards compatible with USB 3.1/USB 3.0/USB 2.0/USB 1.1
- ✓ Available in the following lengths: 3m, 5m, 7.5m and 10m



Aprašymas

The ACT USB-C Active Optical Cable (AOC) is made of fiber and copper and is the perfect solution for connecting USB-C devices over long distances up to 10 meters without data/video/power loss. Supports data/video transfer up to 10Gbps, a max. video resolution of 4K @ 60Hz and 60W Power Delivery. The cable has a Kevlar protected fiber and is suitable for sensitive applications due to low RFI/EMI. Ideal for use in meeting rooms, classrooms and hospitals.

AOC: copper and fiber for longer distances

Active Optical Cables (AOC) are made of copper and fiber for connecting USB-C devices over long distances without data/video/power loss. The maximum length of the cable is 10 meters.

Lossless data, video and power up to 10 meters

Data, video and power in one cable. Standard USB-C cables have a maximum length of 2 meters. With AOC the maximum length is 10 meters without loss of data/video/power. The ACT USB-C Active Optical Cables support USB 3.2 Gen2 for data/video transfer up to 10Gbps. The AOC USB-C cable supports Display Alternate Mode up to 4K @ 60Hz. Additionally, the cables can handle 60W Power Delivery.

Highly resistant to EMI/RFI and thus suitable for sensitive applications

The ACT Active Optical cables are suitable for connecting sensitive applications due to the low EMI (Electromagnetic Interference) / RFI (Radio Frequency Interference).

The highly sensitive equipment in hospitals requires cables without having the risk of electromagnetic or radio frequency interferences.

Application in meeting rooms and classrooms

USB-C Active Optical cables are ideal for use in various professional settings. Meeting rooms are often equipped with screens and conference cameras. Lossless data, video and power is needed at the same time.

Additional features

The USB 3.2 Gen2 AOC is backwards compatible with USB 3.1, USB 3.0, USB 2.0 and USB 1.1.

Techninė specifikacija

Features	
USB version	USB 3.2 Gen 2 (3.1 Gen 2)
Connector 1	USB C
Connector 2	USB C
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black, Grey
Connector 1 form factor	Straight
Connector 2 form factor	Straight
AWG wire size	24/28
Cable jacket material	Polyvinyl chloride (PVC)

Conductor material	Hybrid Fiber-Copper
Connector shielding	Yes
Maximum data transfer rate	10 Gbit/s
Cable type	Round cable
USB Power Delivery up to	60 W
Maximum resolution	3840 x 2160 pixels
Maximum refresh rate	60 Hz
Power	
Input voltage	20 V
Input current (max)	3 A
Output current (max)	3 A
Weight & dimensions	
Cable length	3 m
Cable diameter	6.5 mm
Packaging content	
Quantity per pack	1 pc(s)
Matmenys ir svoris	
Svoris	1,00kg

Dokumentai ir vaizdo įrašai

- › [Gaminio lankstinukas](#)
- › [Atitikties deklaracija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Intronics BV

Koolhovenstraat 1E, 3772 MT Barneveld, NL

intronics.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt

Saugos dokumentai

- › [Atitikties deklaracija](#)