

Lindy 5m USB 3.2 Gen 2 C/C Active Extension

Gamintojas: **LINDY** · Modelis: **43364** · EAN: **4002888433648** · Prekės kodas: **809713**



51,90 €

Kaina su PVM

Be PVM: **42,89 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 5 metre USB 3.2 Active Extension Repeater Lead
- ✓ Supports transfer rates up to 10Gbps
- ✓ For even greater distances simply connect 2 cables in series
- ✓ Plug and Play
- ✓ 2 year warranty



Aprašymas

The Lindy USB 3.2 Active Extension Cable uses built-in active electronics to extend the cable length of a USB 3.2 device by an additional 5m whilst continuing to support fast and efficient data transfer rates of up to 10Gbps. With a reversible Type C input connector and Type C female port, this extension cable allows Type C devices such as flash drives, smartphones or tablets to be connected at longer distances with no compromise on data transfer speeds, ideal for when the Type C input device is hard to repeatedly access or when connecting USB devices that can be used at a distance such as multi-interface Type C hubs. Compatible with all USB 3.2 Type C and Thunderbolt 3/4 equipped computers (incl. Apple M1), this is a perfect extension tool for the latest laptops, Macbooks and Type C computers. With plug and play functionality, this extension cable can be installed quickly and with minimum fuss.

The USB active extension cable also features a DC socket for connecting an external power supply (5V 1A, not included) when using USB peripherals which have higher power requirements.

Please note, that USB Power Delivery and DisplayPort Alternate Mode are not supported.

Information about USB 3.0, 3.1 and 3.2

USB 3.0, USB 3.1 and USB 3.2 PCs, cables and devices are all compatible with each other, when using either a USB Type A or USB Type C host interface.

USB 3.0, USB 3.1 Gen 1 and USB 3.2 Gen 1 all support data transfer rates up to 5 Gbps.

USB 3.1 Gen 2 and USB 3.2 Gen 2 both support data transfer rates up to 10 Gbps.

Techninė specifikacija

Features	
USB version	USB 3.2 Gen 2 (3.1 Gen 2)
Connector 1	USB C
Connector 2	USB C
Connector 1 gender	Male
Connector 2 gender	Female
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Contact material	Brass
Connector contacts plating	Nickel
Cable jacket material	Acrylonitrile butadiene styrene (ABS)
Conductor material	Copper
Connector shielding	Yes
Connector shield material	Aluminium
Maximum data transfer rate	10000 Mbit/s
Maximum data transfer rate	10 Gbit/s
Cable type	Round cable
Weight & dimensions	
Cable length	5 m
Cable diameter	7 mm
Weight	320 g
Packaging data	
Package type	Polybag
Package width	236 mm
Package depth	255 mm
Package weight	350 g

Packaging content

Quantity per pack	1 pc(s)
-------------------	---------

Operational conditions

Operating temperature (T-T)	0 - 50 °C
-----------------------------	-----------

Storage temperature (T-T)	-10 - 60 °C
---------------------------	-------------

Certificates

Certification	CE, FCC, RoHS & REACH, CP65
---------------	-----------------------------

Matmenys ir svoris

Svoris	0,35kg
--------	--------

Dokumentai ir vaizdo įrašai

- › [Gaminio lankstinukas](#)
- › [Atitikties deklaracija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

LINDY International Ltd.

Sadler Forster Way Unit 103, TS17 9JY Stockton-on-Tees, GB
lindy.com

ATSAKINGAS ASMUO ES

LINDY-Elektronik GmbH

Markircher Str. 22, 68229 Mannheim, DE
lindy.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- › [Atitikties deklaracija](#)