

ATEN 2-Port USB 3.0 8K DisplayPort Dual-Display KVMP™ Switch (Cables included)

Gamintojas: **ATEN** · Modelis: **CS1942DPA** · EAN: **4711581520547** · Prekės kodas: **812671**



334,90 €

Kaina su PVM

Be PVM: **276,78 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Up to 7680 × 4320 @ 60 Hz, 5120 × 2880 @ 60 Hz and 4096 × 2160 @ 120 Hz
- ✓ Daisy-chainable quad-display control connecting two CS1942DPAs to manage up to two PCs and four displays with one keyboard and mouse
- ✓ All DisplayPort/USB cables and power adapter included for hassle-free installation
- ✓ Computer selection via pushbuttons, remote port selector, hotkeys, mouse, and RS-232 commands



Aprašymas

Power advanced multi-screen workflows with an 8K dual-display KVM switch for creative, financial, and professional applications.

2 DisplayPort PCs, 2 DisplayPort Displays, One KVM Console

The CS1942DPA is a 2-port KVM switch that empowers you to switch between projects with ease on a 2-PC, dual-display desktop. With a single keyboard and mouse, you can maintain a tidy workspace while simplifying control of two DisplayPort computers across two DisplayPort displays. Whether you're a professional seeking a productivity booster for your daily office routines, a content creator, a hybrid worker, or someone looking for an immersive entertainment setup, the CS1942DPA is definitely your key to a workspace transformation.

Unlock your creativity at this multitasking KVM workstation with:

- A pristine visual experience up to 4K@240 and 8K@60
- Ultra-wide 21:9 and 32:9 aspect ratios for an expansive viewing experience
- A 2-port USB 3.0 hub for peripheral sharing, supporting up to 5 Gbps data transfer
- Multi-system compatibility with Windows, macOS, and Linux

Techninė specifikacija

Ports & interfaces	
Number of computers controlled	2
Keyboard port type	USB
Mouse port type	USB
Video port type	DisplayPort
Console ports	3.5mm headphone, DisplayPort, USB A
DisplayPorts quantity	4
USB 3.2 Gen 1 (3.1 Gen 1) Type-B ports quantity	2
Console USB ports quantity	2
Console DisplayPorts ports quantity	4
Console RJ-45 ports quantity	1
USB hub	Yes
USB 3.2 Gen 1 (3.1 Gen 1) Type-A hub ports quantity	2
USB connector type	USB Type-A, USB Type-B
Headphone outputs	4
Number of microphone inputs	4
DC-in jack	Yes
Performance	
HD type	8K Ultra HD
Maximum resolution	7680 x 4320 pixels
Video bandwidth	60 Hz
Scan interval	1,99 s
Maximum refresh rate	240 Hz
Design	

Rack mounting	No
Product colour	Black
LED indicators	Yes
Push button	Yes
Display	
Built-in display	No
Power	
Power source	DC
Input voltage	12 V
Power consumption (typical)	3.18 W
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 80%
Storage relative humidity (H-H)	0 - 80%
Weight & dimensions	
Width	71.8 mm
Depth	200 mm
Height	43 mm
Weight	470 g
Packaging content	
Quick installation guide	Yes
Logistics data	
Harmonized System (HS) code	84718000
Country of origin	Thailand
Matmenys ir svoris	
Svoris	1,73kg

Dokumentai ir vaizdo įrašai

- › Greitos pradžios vadovas
- › Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

ATEN INTERNATIONAL CO., LTD.

Datung Road No.125, Sec. 2, 221 New Taipei City, TW

[aten.com](https://www.aten.com)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt