

InLine 57885J KVM switch Black

Gamintojas: **INLINE** · Modelis: **57885J** · EAN: **4043718348671** · Prekės kodas: **812807**



166,90 €

Kaina su PVM

Be PVM: **137,93 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Black
- ✓ Number of computers controlled: 4
- ✓ Keyboard port type: USB Mouse port type: USB Video port type: DisplayPort
- ✓ 4K Ultra HD 4096 x 2160 pixels
- ✓ Housing material: Metal
- ✓ AC



Aprašymas

Centralised control of multiple computers:The DisplayPort KVM switch allows you to conveniently switch between up to four computers at a shared workstation with a monitor, keyboard and mouse.

High-resolution video transmission:Supports DisplayPort 1.4a with resolutions up to 4K at 60 Hz and HDR for detailed, smooth and colour-accurate image display.

Flexible switching options: System switching can be performed using the front button, keyboard hotkeys, mouse hotkeys, IR remote control or serial RS-232 control commands.

Shared use of USB peripherals: USB keyboard and USB mouse can be used centrally for all connected computers via the integrated KVM function.

Robust and professional design: The metal housing ensures high stability and reliability in continuous stationary operation indoors.

The InLine DisplayPort KVM Switch enables centralised operation of up to four computers via a shared workstation with display, keyboard and mouse. The device supports DisplayPort video signals with resolutions up to 3840 x 2160 or 4096 x 2160 at 60 Hz, making it suitable for demanding applications with high requirements for image quality and signal stability.

Thanks to DisplayPort 1.4a, HDCP 2.2 and support for modern HDR formats, content is transmitted in rich detail, smoothly and with true-to-life colours. The integrated KVM function allows shared use of a USB keyboard and USB mouse across all connected computers, reducing space requirements and cabling effort in the workplace.

Switching between the individual systems can be done flexibly. In addition to a button on the device, keyboard and mouse hotkeys, an IR remote control and serial RS-232 control commands are available. This allows the KVM switch to be optimally adapted to different workflows and control concepts.

The robust metal housing supports reliable operation in dry indoor environments. The DisplayPort KVM switch is designed for stationary use and enables efficient, clear and convenient control of multiple computers via a central control unit.

Technical features

Specifications

Number of inputs: 4 x DisplayPort

Number of outputs: 1 x DisplayPort

KVM function: USB keyboard and USB mouse

Switching types: Front button, keyboard hotkeys, mouse hotkeys, IR remote control, RS-232

Supported operating systems: Windows, macOS, Linux

Video

DisplayPort standard: DisplayPort 1.4a

HDCP: Version 2.2

Maximum resolution: 3840 x 2160 @ 60 Hz, 4096 x 2160 @ 60 Hz

Maximum bandwidth: 32.4 Gbit/s

HDR support: HDR, HDR10, HDR10+, Dolby Vision, HLG

Colour depth: 8-bit, 10-bit or 12-bit

Colour spaces: RGB, YCbCr 4:4:4, YCbCr 4:2:2, YCbCr 4:2:0

Audio

Supported audio formats via DisplayPort:

LPCM

Dolby Digital, Dolby Digital Plus

Dolby TrueHD, Dolby Atmos

DTS, DTS-HD Master Audio, DTS:X, DSD

Mechanical

Housing: Metal

Colour: Black

Operating temperature: 0 to 40 °C

Storage temperature: -20 to 60 °C

Relative humidity: 20 to 80%, non-condensing

Power

Input: AC 100–240 V / 50–60 Hz

Output: DC 12.0 V / 1.0 A

Output power: max. 12.0 W

Average operating efficiency (230 V / 50 Hz): 83.13%
Power consumption at zero load (230 V / 50 Hz): 0.06 W
Efficiency at low load (10%) (230 V / 50 Hz): 76.80%

Scope of delivery

- 1 x DisplayPort KVM switch, 4-port
- 1 x power supply (DC 12 V / 1 A)
- 1 x IR remote control
- 1 x IR receiver cable (approx. 1.5 m)
- 4 x USB cable (USB-A to USB-B, approx. 1.8 m)
- 4 x DisplayPort cable (approx. 1.5 m)
- 1 x 3-pin screw terminal connector (RS-232)
- 1 x User manual in German/English

Techninė specifikacija

Ports & interfaces	
Number of computers controlled	4
Keyboard port type	USB
Mouse port type	USB
Video port type	DisplayPort
Console ports	DisplayPort, USB A
DisplayPorts quantity	5
DisplayPort version	1.4a
USB hub	Yes
Serial port type	RS-232
Performance	
HD type	4K Ultra HD
Maximum resolution	4096 x 2160 pixels
Video bandwidth	60 Hz
Data transfer rate (max)	32.4 Gbit/s
High Dynamic Range (HDR) supported	Yes
HDCP	Yes
HDCP version	2.2
Audio decoding technologies	Dolby Digital, Dolby Digital Plus, Dolby TrueHD, Dolby Atmos, DTS-HD Master Audio, DTS:X
Design	
Product colour	Black
Housing material	Metal
Power	

Power source	AC
Input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Output voltage	12 V
Output current	1 A
System requirements	
Windows operating systems supported	Yes
Linux operating systems supported	Yes
Mac operating systems supported	Yes
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Weight & dimensions	
Width	100 mm
Depth	270 mm
Height	32 mm
Weight	735 g
Packaging data	
Package width	183 mm
Package depth	334 mm
Package height	120 mm
Package volume	7300 cm ³
Package weight	1.97 kg
Packaging content	
Cables included	USB Type-A to USB Type-B, DisplayPort
Manual	Yes
Remote control included	Yes
Other features	
Dimensions (WxDxH)	100 x 270 x 32 mm
Logistics data	
Country of origin	China
Matmenys ir svoris	
Svoris	1,97kg

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Atitikties deklaracija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Intos Electronic AG

Siemensstraße 11, D-35394 Gießen, DE
service@inline-info.com
[intos.de](https://www.intos.de)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- › [Atitikties deklaracija](#)