

ATEN 3-Port True 4K HDMI Switch

Gamintojas: **ATEN** · Modelis: **VS381B-AT** · EAN: **4710469340383** · Prekės kodas: **813615**



70,91 €

Kaina su PVM

Be PVM: **58,60 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Allows up to 3 HDMI input sources to be transmitted to 1 HDMI output display
- ✓ Superior video quality – True 4K resolution of 4096 x 2160 / 3840 x 2160 @ 60Hz (4:4:4) up to 5m; HDR supported
- ✓ HDMI (3D, Deep Color, 4K, HDR10+, Dolby Vision, HLG); HDCP 2.2 compliant
- ✓ Auto switching mode for auto port selection



Aprašymas

The VS381B 3-Port True 4K HDMI Switch with Auto Switching provides you to switch 3 HDMI input sources to an HDMI display. It supports video resolutions up to True 4K (4096 x 2160 @ 60Hz 4:4:4), data rates up to 18 Gbps, HDR, 3D, Deep Color, and HD lossless audio formats. Furthermore, the VS381B offers switching methods between HDMI sources by front panel pushbuttons and IR remote control, enabling users to effortlessly select desired input.

Featuring above functionalities provides you a practical solution for auditorium, home theater, meeting rooms, trade shows, shopping centers, and more.

Package Contents

- 1x VS381B 3-Port True 4K HDMI Switch
- 1x USB to DC Power Cord

- 1x IR Remote Control
- 1x IR Receiver
- 1x User Instructions

Techninė specifikacija

Ports & interfaces	
Video port type	HDMI
HDMI ports quantity	4
HDMI in	3
Number of HDMI outputs	1
3.5 mm (1/8-inch) in	Yes
DC-in jack	Yes
Features	
Material	Metal
Product colour	Black
Plug and Play	Yes
HDCP	Yes
Maximum refresh rate	60 Hz
Maximum operating distance	5 m
Supported graphics resolutions	3840 x 2160, 4096 x 2160
Bandwidth	18 Gbit/s
Bandwidth	600 MHz
Maximum resolution	4096 x 2160 pixels
External power adapter	Yes
3D	Yes
HD type	4K Ultra HD
Dolby technologies	Dolby Vision
Input impedance	100 Ω
HDCP version	2.2
Power	
Power consumption (typical)	1.46 W
Weight & dimensions	
Width	71.6 mm
Depth	79 mm
Height	25.5 mm

Weight	150 g
--------	-------

Packaging content

AC adapter included	Yes
---------------------	-----

Operational conditions

Operating temperature (T-T)	0 - 40 °C
-----------------------------	-----------

Storage temperature (T-T)	-20 - 60 °C
---------------------------	-------------

Operating relative humidity (H-H)	0 - 80%
-----------------------------------	---------

Storage relative humidity (H-H)	0 - 80%
---------------------------------	---------

Logistics data

Harmonized System (HS) code	85176990
-----------------------------	----------

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

ATEN INTERNATIONAL CO., LTD.

Datung Road No.125, Sec. 2, 221 New Taipei City, TW

aten.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt