

ATEN KL1108VN rack console 48.3 cm (19") Black 1U

Gamintojas: **ATEN** · Modelis: **KL1108VN-AXA-GG** · EAN: **4710469344244** · Prekės kodas: **813673**



5 382,90 €

Kaina su PVM

Be PVM: **4 448,68 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 48.3 cm (19")
- ✓ Rack mounting 1U
- ✓ On Screen Display (OSD)
- ✓ Keyboard port type: USB Mouse port type: USB Video port type: DVI-D/VGA
- ✓ Keyboard layout: QWERTZ
- ✓ Black



Aprašymas

ATEN's KL1108VN 8-port Cat 5 Dual Rail LCD KVM over IP Switch features an independently retractable, dual slide 19" LED-backlit LCD monitor and keyboard with built-in touchpad.

The KL1108VN switches allow local console and remote over IP access for operators to monitor and manage their entire data center locally at the switch, and over a network using a web-based browser. In addition, they offer out-of-band access with external modem support for BIOS-level troubleshooting when the network is down.

To help manage and control an entire data center, our KL1108VN KVM over IP switches support blade servers and chassis with powerful new features such as Power Association which allows KVM ports to be associated with ATEN PDU power outlets for power management of servers from the KVM switches' user interface.

The KL1108VN KVM over IP switches now support the new Control Center Video Session Recorder (CCVSR) and CC2000 Centralized Management Software. The CC2000 puts administrators in complete control of remote data centers and branch offices no matter where they are in the world – allowing them to remotely monitor and control all devices on a network, including blade server chassis, individual blades and virtual machines. The CCVSR records all operations on servers accessed through KVM over IP switches. Every operation and change from the BIOS level to logging in, from running software applications to configuring the operating system is recorded and saved to a secure video file as evidence, without exception.

The Virtual Media function lets you map to storage media on USB, hard disk and DVD/CD drives located on remote servers – allowing administrators to conduct file transfers, install applications, run O.S. updates, or perform diagnostics across a network with ease.

Enhanced capabilities of KVM over IP switches also include: a Message Board, Panel Array Mode™, Mouse DynaSync™, Adapter ID and Secure Serial Server Access. The secure access to serial-controlled devices includes network equipment, UNIX servers, Linux servers, Sun servers and many more serial consoles. It provides installation without needing expensive serial dongles.

With dual on-board NICs and out-of-band access with external modem support, the KVM over IP switches are built for reliability, to ensure 24/7 availability of remote access to all server room computers.

With ATEN KVM over IP switches, IT administrators can manage their server rooms and data centers from practically anywhere – minimizing travel costs and MTTR (Mean Time to Repair) – ensuring the highest availability of data center services possible.

Techninė specifikacija

Display	
Display diagonal	48.3 cm (19")
Display	LCD
On Screen Display (OSD)	Yes
Technical details	
Rack capacity	1U
Product colour	Black
Operating relative humidity (H-H)	0 - 80%
Maximum resolution	1920 x 1200 pixels
Rack mounting	Yes
Number of computers controlled	8
LED indicators	Yes
Push button	Yes
Cabling technology	10/100/1000Base-T(X)
Compliance certificates	RoHS
Ports & interfaces	
VGA (D-Sub) ports quantity	1
Keyboard port type	USB
Mouse port type	USB
Video port type	DVI-D/VGA

Keyboard

Keyboard language	German
Keyboard layout	QWERTZ

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C

Weight & dimensions

Width	702.1 mm
Height	44 mm
Depth	480 mm
Weight	15.2 kg

Packaging content

Cables included	AC
Manual	Yes

Matmenys ir svoris

Svoris	15,68kg
--------	---------

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

ATEN INTERNATIONAL CO., LTD.

Datung Road No.125, Sec. 2, 221 New Taipei City, TW

aten.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt