

Lindy 2m HDMI to DVI Cable, Black Line

Gamintojas: **LINDY** · Modelis: **36272** · EAN: **4002888362726** · Prekės kodas: **814351**



15,90 €

Kaina su PVM

Be PVM: **13,14 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Entry level HDMI Male to DVI-D Male cable for home and small office applications
- ✓ Supports DVI resolutions up to 1920x1200@60Hz and HDTV resolutions up to 1080p
- ✓ Robust PVC housing, nickel connectors, 24K gold plated contacts
- ✓ Tripled shielded cable, corrosion resistant tinned copper 30AWG conductors
- ✓ 10 year warranty



Aprašymas

From the Lines cable connectivity concept developed by Lindy, Black Line HDMI to DVI-D cables are fully featured, entry level connection solutions, perfect for connecting PCs to monitors or projectors.

Black Line HDMI to DVI-D cables feature triple shielded construction with 30AWG tinned copper conductors for performance and corrosion resistance. Nickel connectors and 24K gold plated contacts maintain signal integrity and reliability.

The tough PVC housing incorporates an integrated finger grip for easy installation. Large thumb screws allow the connector to be tightened into place without the need for a screwdriver and a flexible strain relief prolongs cable life.

Black Line HDMI to DVI-D cables support resolutions up to 1920x1200@60Hz including HDTV resolutions up to 1080p.

Black Line HDMI to DVI-D cables are available in lengths of 0.5m to 10m.

Techninė specifikacija

Features	
Cable length	2 m
Connector 1	HDMI Type A (Standard)
Connector 2	DVI-D
Connector 1 gender	Male
Connector 2 gender	Male
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Gold
Dual Link DVI	No
Maximum resolution	1920 x 1200 pixels
Supported graphics resolutions	1920 x 1200 (WUXGA)
Data transfer rate	4.95 Gbit/s
Maximum refresh rate	60 Hz
Bend radius (min)	5.5 cm
Product colour	Black
Conductor material	Tinned copper
Nominal attenuation	1 €" 825Mhz 12db
Jacket material	Polyvinyl chloride (PVC)
Cable type	Round cable
Connector housing material	Polyvinyl chloride (PVC)
Connector material	Nickel
Contact material	Brass
AWG wire size	30
Cable shielding	Aluminium braid
Operational conditions	
Operating temperature (T-T)	-20 - 80 °C
Storage temperature (T-T)	-25 - 85 °C
Certificates	
Certification	RoHS, REACH, UL
Weight & dimensions	
Cable diameter	5.5 mm

Connector 1 dimensions (WxDxH)	21.4 x 34.2 x 12.7 mm
--------------------------------	-----------------------

Connector 2 dimensions (WxDxH)	36.8 x 44.5 x 12.5 mm
--------------------------------	-----------------------

Packaging data

Package type	Polybag
--------------	---------

Packaging content

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------

Matmenys ir svoris

Matmenys (I × P × A)	17,00cm × 17,00cm × 4,00cm
----------------------	----------------------------

Svoris	0,14kg
--------	--------

Gamintojo ir saugos informacija

GAMINTOJAS

LINDY International Ltd.

Sadler Forster Way Unit 103, TS17 9JY Stockton-on-Tees, GB

lindy.com

ATSAKINGAS ASMUO ES

LINDY-Elektronik GmbH

Markircher Str. 22, 68229 Mannheim, DE

lindy.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt