InLine USB PD Power Supply GaN Charger 3-port Dual USB-C + USB-A 65W Black

Gamintojas: **INLINE** · Modelis: **31506F** · EAN: **4043718313433** · Prekės kodas: **814989**



39,91 €

Kaina su PVM

Be PVM: **32,98 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Charger compatibility: Universal
- ✓ Charger type: Indoor
- ✓ Power source type: AC
- ✓ Black
- ✓ Fast charging
- ✓ 100 - 240 V 50/60 Hz 65 W Maximum output voltage: 20 V



Aprašymas

65 W total power with three charging ports: Simultaneously charges smartphones, tablets and notebooks – ideal for professional multi-device environments.
Modern GaN technology for maximum efficiency: Less heat generation, compact design – ideal for mobile use.
Power Delivery 3.0 & Quickcharge 4+ compatible: Supports a wide range of fast charging protocols – perfect for current USB-C devices.
Intelligent load distribution per port: Automatic adjustment of power to connected devices – protects batteries and devices.

The InLine® USB PD power supply with 65 W power is the powerful and compact solution for demanding multi-device environments. Equipped with two USB-C ports and one USB-A port, it offers maximum flexibility for simultaneous charging of modern devices.
Thanks to GaN technology, the power supply unit works particularly efficiently with low heat generation – ideal for professional continuous use.
Power Delivery 3.0 and Quickcharge 4+ enable fast charging of notebooks, tablets, smartphones and accessories.
The intelligent load distribution automatically detects the connected devices and optimally adjusts the output power. A maximum total power of 65

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

W is achieved – even when using multiple ports simultaneously. Protective mechanisms ensure safe operation without overheating or overloading.

Input voltage: AC 100-240V
Input AC frequency: 50/60 Hz, 1.5 A
Output voltage: 3.3-20.0 V DC
Output current: max. 5.0 A
Output power: 65.0 W
Average operating efficiency: 86.67%
Efficiency at low load (10%): 76.64%
Power consumption at zero load: 0.27 W
USB-C1/C2 output: 3.3-11.0V / 3.0A or 5.0V/3.0A or 9.0V/3.0A or 12.0V/3.0A or 15.0V/3.0A or 20.0V/3.25A (65.0W max)
USB-A output: 4.5V/5.0A or 5.0V/4.5A or 9.0V/3.0A or 12.0V/2.5A or 20.0V/1.5A (30.0W max)
USB-C1+USB-C2 output: 45.0W + 18.0W (63.0W max)
USB-C1+USB-A output: 45.0W + 18.0W (63.0W max)
USB-C2+USB-A output: 5.0V/3.0A (15.0W max)
USB-C1+USB-C2+USB-A output: 45.0W + 5.0V/3.0A
USB PD 3.0 compatible, Quickcharge 4+ and backwards compatible
Dimensions: 95.7x47.2x29.4mm

Techninė specifikacija

Performance	
Charger type	Indoor
Charger compatibility	Universal
Power source type	AC
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
USB Type-C ports quantity	2
Wireless charging	No
Fast charging	Yes
Fast charging technology	Quick Charge 4+
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
Design	
Product colour	Black
Gallium nitride (GaN) transistors	Yes
Power	
Input voltage	100 - 240 V
Input frequency	50/60 Hz
Input current	1.5 A
Maximum power	65 W
Maximum output voltage	20 V

Minimum output voltage	3.3 V
AC adapter output current	5 A
Port 1 output power	65 W
Port 2 output power	65 W
Port 3 output power	30 W
Output current (5V)	4.5 A
Output current (9V)	3 A
Output current (12V)	3 A
Output current (15V)	3 A
Output current (20V)	3.25 A
Port 1 output current	3.25 A
Port 2 output current	3.25 A
Port 3 output current	5 A
Power consumption (no load)	0.27 W
Average active efficiency	86.67%
Efficiency at low load (10%)	Yes
Power plug type	Type C

Weight & dimensions

Width	48 mm
Depth	100 mm
Height	29 mm
Weight	107 g

Packaging data

Package width	86 mm
Package depth	130 mm
Package height	33 mm
Package weight	140 g
Package type	Hanging box

Other features

Dimensions (WxDxH)	48 x 100 x 29 mm
Maximum input power	65 W

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Gamintojo ir saugos informacija

GAMINTOJAS

InLine

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt