Brother TD-4410D label printer Direct thermal 203 x 203 DPI 203 mm/sec Wired

Gamintojas: **BROTHER** · Modelis: **TD4410DXX1** · EAN: **4977766795685** · Prekės kodas: **816783**



GOOD DESIGN AWARD 2019

270.89€

Kaina su PVM

Be PVM: **223.88€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ High-quality up to 203dpi print resolution
- ✓ Print width up to 4.09 inches / 104mm
- ✓ Easy set-up with automatic media configuration





Aprašymas

The TD-4410D desktop label printer is ideal for printing crisp and easy-to-scan labels. Designed for continuous label printing, you can print the exact label sizes you need. Featuring direct thermal technology, sharp images are created. Making the TD-4410D a good choice for printing 1D barcodes.

Techninė specifikacija

Printing	
Print technology	Direct thermal
Colour	No
Maximum resolution	203 x 203 DPI

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Print speed	203 mm/sec
Print speed	8 lpm
Maximum print height	10.4 cm
Mirror printing	Yes
Text style	Bold, Horizontal lines, Invert, Italic, Normal, Shadow, Shadow light, Surround
Maximum print length	3 m
Paper handling	
Maximum label width	11.8 cm
Maximum roll diameter	12.7 cm
Core diameter	1.27 cm
Ports & interfaces	
Connectivity technology	Wired
Ethernet LAN	No
Wi-Fi	No
USB port	Yes
Bluetooth	No
USB 2.0 ports quantity	1
RS-232 ports	1
Performance	
Page description languages	ESC P, Raster_P, ZPL II
Internal memory	256 MB
Flash memory	64 MB
Number of fonts	6
Font styles	Brougham,Brussels,Helsinki,Letter Gothic,San Diego
Design	
Product colour	Grey, White
Display	No
Built-in display	No
Power	
Auto power off	Yes
System requirements	
Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1
Server operating systems supported	Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Mobile operating systems supported	Android 4.1, Android 4.2, Android 4.2.1, Android 4.2.2, Android 4.3, Android 4.4, Android 5.0, Android 5.1, Android 6.0, Android 7.0, Android 7.1, Android 7.1.2, Android 8.0, Android 9.0, iOS 10.0, iOS 11.0, iOS 12, iOS 8.0, iOS 8.1, iOS 8.2, iOS 8.3, iOS 8.4, iOS 9.0, iOS 9.1, iOS 9.2, iOS 9.3
Linux operating systems supported	Yes
Operational conditions	
Operating relative humidity (H-H)	5 - 40%
Storage relative humidity (H-H)	20 - 85%
Operating temperature (T-T)	10 - 90 °C
Storage temperature (T-T)	-20 - 60 °C
Weight & dimensions	
Width	267 mm
Depth	335 mm
Height	255 mm
Weight	3.06 kg
Packaging data	
Quantity per pack	1 pc(s)
Package weight	3.98 kg
Packaging content	
Cables included	AC, USB
Quick start guide	Yes
Warranty card	Yes
AC adapter included	Yes
Software development kit (SDK)	Yes
Starter roll included	Yes
Logistics data	
Harmonized System (HS) code	84433210
Pallet gross height	14.2 cm
Pallet gross weight	177.2 kg
Master (outer) cases per pallet	40 pc(s)
Master (outer) cases per pallet layer	8 pc(s)
Layers per pallet	5 pc(s)
Products per pallet	40 pc(s)
Technical details	
Pallet type	800 x 1200 mm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Other features	
LED indicators	Error, Power, Status
Country of origin	China
Languages support	Simplified Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Hungarian, Italian, Japanese, Norwegian, Polish, Portuguese, Russian, Swedish, Turkish
Date & time printing	Yes
Number of languages	18
Spare part retention	5 year(s)
Matmenys ir svoris	
Svoris	3.92kg

Dokumentai ir vaizdo įrašai

- User manual
- Product leaflet

Gamintojo ir saugos informacija

MANUFACTURER

Brother Industries
Naeshiro-cho, Mizuho-ku 15-1, 467-8561 Nagoya, JP
global.brother

EU RESPONSIBLE PERSON

Brother International Limited
avenue du Bois de la Pie 165, 95913 Roissy-en-France, FR
rsgp@brother.fr
brother.fr

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt