Zebra ZD411d etikečių spausdintuvas Tiesioginis terminis 300 x 300 DPI 102 mm/sec Vielinis ir Bevielis Ethernet LAN jungtis Bluetooth

Gamintojas: **ZEBRA** · Modelis: **ZD4A023-D0EE00EZ** · EAN: **663056009382** · Prekės kodas: **816928**



545,90 €

Kaina su PVM

Be PVM: **451,16 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Tiesioginis terminis
- ✓ 300 x 300 DPI
- ✓ Didžiausias spausdinimo plotis: 5,4 cm Spausdinimo greitis: 102 mm/sec
- ✓ Įdiegti brūkšniniai kodai: AZTECCODE, CODABAR (NW-7), Codablock, Code 11, Code 128 (A/B/C), Code 39, Code 49, Code 93, Duomenų matrica, EAN13, EAN8, Industrial 2/5, Interleaved 2/5, Logmars, MSI, MaxiCode, MicroPDF417, PDF417, Planet, PLESSEY, POSTNET, QR Code, UPC-A, UPC-E
- ✓ Ryšio technologija: Vielinis ir Bevielis
- ✓ USB prievadas Ethernet LAN jungtis Bluetooth
- ✓ 1 kg

Aprašymas

Elevate your expectations with the advanced, compact printers, built for enduring performance

Your operations demand reliable printing. You need enhanced features, security, next-generation technology and management capabilities to help you work smarter and achieve more. Get it all with Zebra’s compact, 2-inch ZD411 desktop printers, designed to fit almost anywhere. Featuring a new architecture and our exclusive Print DNA software suite, they offer enhanced processing power, unmatched security and intuitive setup and operation. Change media quickly with the new media handling design and add capabilities with field-installable options. Connect your way and incorporate wireless capabilities with the optional kit. An extension of the proven ZD400 Series, they’re ready to perform flawlessly for years to come.

It’s Time to Advance

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Powerful Printing with Intuitive Operation

Technology is constantly evolving, and so are your business needs. Printers support ZD411 printers are ready to grow with you. Incorporating a powerful new processor, you can run more tasks and perform more operations simultaneously. Advanced features and connectivity options, including field-upgradeable media handling and wireless kits, make them stand apart.

ZD411 printers have five LED icons that allow you to instantly see what’s needed to keep your printers up and running, from replenishing media to resolving printer issues. The advanced three-button user interface replaces the typical single-button/single-light interface common in desktop printers.

Simple to Setup, Use and Manage Today

Ready to Evolve for Tomorrow

Featuring Zebra’s Print DNA software suite, ZD411 printers are easy to integrate, simple to operate and can be managed onsite or remotely via a web-based dashboard. They’re designed to evolve with technology with an innovative architecture that powers future printing and emerging applications to keep your workflows at peak performance.

Change Media Easily

Color-coded touch points and a new media-handling design guide you through speedy media changes to keep printers operational and workers on task. Replace ribbon intuitively and quickly with less mess, hassle and training time – and fewer calls into IT.

Multiple Models to Match Your Needs

Flexibility for Nearly Every Use Case

Available in direct thermal, thermal transfer and healthcare models, ZD411 printers support supports nearly any 2-inch printing application.

Smart Design for Smarter Operations

Backwards Compatible with Virtually any Existing Printer

Integrate your ZD411 into your existing printer fleet seamlessly. Continue to use the same label formats and applications you’re using today. These printers support EPL and ZPL printer languages and can emulate other languages associated with other printer brands using Zebra’s Print DNA Printer Emulations.

Communication to Connect Your Way

ZD411 printers can connect to your existing wired and wireless networks, or directly to any PC. Every ZD411 comes standard with USB and USB Host, and offers optional Ethernet, Serial and dual wireless radio with fast 802.11ac Wi-Fi and Bluetooth™ 4.1. Print from any Windows®, Android™ or iOS device. Set up your ZD411 easily with Zebra’s printer setup mobile app using Bluetooth Low Energy (BLE). The included Print Touch tag (NFC) allows you to simply tap to pair and print.

Moveable Sensor Means More Flexibility

The ZD411’s moveable media sensor allows for almost any media use, which means greater flexibility across a variety of applications.

Added Flexibility to Print Almost Anywhere

The incredibly small footprint of the ZD411 printers is designed to fit in virtually any workspace. In addition, easily transport them on a cart with the optional battery to print on the spot and increase accuracy and productivity. Power through a full shift with the high-capacity battery.

Print DNA Software Suite, Your Built-in Advantage

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Confident and Secure Printing are Yours

Zebra’s exclusive Print DNA software suite will keep your printer running flawlessly and securely. Print consistently and without interruption with a solution that’s fully integrated and interoperable, and ready to evolve with your business needs.

Update, Troubleshoot and Monitor, All from a Single Location

With Zebra’s Printer Profile Manager Enterprise, part of Print DNA, you can easily manage, secure and troubleshoot your networked printers from one remote location anywhere in the world.

Unmatched Printing Security

Get unparalleled peace-of-mind and protect yourself from cyberattacks with Zebra’s PrintSecure, part of Print DNA. Easily configure your printers with secure connections, identify vulnerabilities, block unauthorized access and more.

Explore Managed Print Services (MPS) with Assurance

Zebra’s Thermal Printers with Print DNA Make MPS Easy

Looking to gain control and visibility of your printer fleets with MPS? With the Print DNA software suite, your Zebra MPS provider can remotely manage and optimize your printers, track and automate supplies replenishment and ensure security.

Supplies, Services and Support

Certified Supplies by Zebra

Printing supplies provide a digital voice for assets across your supply chain. You rely on them to disseminate critical data throughout your organization. If something goes wrong with your printing supplies, operations are interrupted, productivity suffers and costs rise. That’s why we design, produce and rigorously pretest our own line of labels, tags and receipt paper to ensure consistent, optimized performance in your Zebra printer. For industry-leading quality, service and expertise, choose Zebra Certified Supplies.

Backed by Zebra’s Worldwide Service and Support

Access repair support services anywhere around the globe through Zebra and its trusted network of more than 10,000 partners. Zebra OneCare™ Maintenance Plans provide enhanced coverage that exceeds standard warranty.

Techninė specifikacija

Spausdinimo greitis	
Spausdinimo technologija	Tiesioginis terminis
Spalva	Ne
Maksimali rezoliucija	300 x 300 DPI
Spausdinimo greitis	102 mm/sec
Didžiausias spausdinimo plotis	5,4 cm
Popieriaus tiekimas	
Kaspino plotis	5,8 cm
Juostos ilgis	74 m
Maksimalus etiketės ilgis	0,991 m

Maksimalus rulono diametras	12,7 cm
Ruošinio storis	0.06 - 0.1905 mm
Palaikomas popieriaus plotis	15 - 57 mm
Šerdies skersmuo	1,27 cm

Ryšys

Ryšio technologija	Vielinis ir Bevielis
Ethernet LAN jungtis	Taip
USB prievadas	Taip
Bluetooth	Taip
Nedaug energijos naudojantis „Bluetooth“ (BLE)	Taip
Jungčių galimybė	Nuoseklusis (RS-232), Belaidis LAN

Veikimo charakteristikos

Puslapio aprašymo kalbos	EZPL
Vidinė atmintis	256 MB
Flash atmintis	512 MB
Įdiegti brūkšniniai kodai	AZTECCODE, CODABAR (NW-7), Codablock, Code 11, Code 128 (A/B/C), Code 39, Code 49, Code 93, Duomenų matrica, EAN13, EAN8, Industrial 2/5, Interleaved 2/5, Logmars, MSI, MaxiCode, MicroPDF417, PDF417, Planet, PLESSEY, POSTNET, QR Code, UPC-A, UPC-E
Keičiami šriftai	Šveicariškas
Sertifikavimas	IEC 60950-1, IEC 62368-1, EN55022 Class B, EN55024, EN55035, EN61000-3-2, EN61000-3-3, FCC Class B, ICES-003, FCC 15.209; 15.247(d), IC RSS 247, EN 300 328, EN 301 893, EN 62311, cTUVus CE Marking, VCCI, C-Tick, S-Mark, CCC, CU, BSMI, KCC, SABS, IN-Metro, BIS, NOM

Konstrukcija

Produkto spalva	Juoda

Energijos valdymas

AC įėjimo įtampa	100 - 240 V
AC įėjimo dažnis	50 / 60 Hz

Sistemos reikalavimai

Palaikomos mobiliosios operacinės sistemos	Android, iOS

Aplinkos sąlygos

Darbo santykinės drėgmės diapazonas	10 - 90%
Sandėliavimo santykinis drėgmės diapazonas	5 - 95%
Darbo temperatūros diapazonas (TT)	4,4 - 41 °C
Sandėliavimo temperatūros norma (T-T)	-40 - 60 °C

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Svoris ir matmenys	
Plotis	115 mm
Ilgis	220 mm
Aukštis	151 mm
Svoris	1 kg
Pakuotės turinys	
Pridėti kabeliai	AC, USB
Techninė informacija	
Tvarumo sertifikatai	ENERGY STAR
Atitikties sertifikatai	BSMI, C-TICK, CCC, CE, Federalinė ryšių komisija (FCC), REACH, RoHS
Tvarumo reikalavimų laikymasis	Taip

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas
- Vaizdo įrašas objects.icecat.biz/objects/100854359_27517355.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

Zebra

ATSAKINGAS ASMUO ES

Zebra Technologies
Borupvang 3, Ballerup, DK
zebra.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.