Zebra ZD611 label printer Direct thermal 300 x 300 DPI 152 mm/sec Wired & Wireless Ethernet LAN Bluetooth

Gamintojas: **ZEBRA** · Modelis: **ZD6A023-D2EE00EZ** · EAN: **663056023333** · Prekės kodas: **817411**



714,90 €

Kaina su PVM

Be PVM: **590,83 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Direct thermal
- ✓ 300 x 300 DPI
- ✓ Maximum printing width: 5.4 cm Print speed: 152 mm/sec
- ✓ Built-in barcodes: 1D, 2D, AZTECCODE, CODABAR (NW-7), Codablock, Code 11, Code 39, Code 49, Code 93, Code-128 Codabar Library, Data Matrix, EAN13, EAN8, Industrial 2/5, Interleaved 2/5, Logmars, MSI, MaxiCode, MicroPDF417, PDF417, Planet, POSTNET, Plessey, QR Code, UPC-A, UPC-E
- ✓ Connectivity technology: Wired & Wireless
- ✓ USB port Ethernet LAN Bluetooth 4.2
- ✓ 1.07 kg

Aprašymas

INVEST IN THE BEST: PREMIUM FEATURES, MAXIMUM PERFORMANCE AND UNMATCHED SECURITY

You need a quality printer with top-of-the-line features to keep your business moving forward. Choose from the ZD621 4-inch or ZD611 2-inch premium desktop printers, built to perform flawlessly – day in and day out. They’re easy to set up, operate, manage and secure, thanks to Zebra’s exclusive Print DNA software suite. And, they're engineered for evolving technology for years of operation. Available in direct thermal, thermal transfer, healthcare, linerless and RFID models.

SOPHISTICATED, YET SIMPLE

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

The ZD600 Series gives you premium features and performance in a compact, easy-to-use desktop printer. They're simple to install, operate and maintain. Outstanding print quality paired with forward adaptability make them stand apart for years of superior printing. Multiple models support nearly every use case, including Healthcare and RFID.

ENGINEERED TO EVOLVE

Technology is constantly evolving. Be ready for what’s next with the ZD600 Series printers, built to perform today and tomorrow. With an intuitive user interface, 4.3-inch full-color LCD touchscreen, field-upgradeable wireless kit and media handling options, as well as an innovative new architecture to power ever-expanding printer capabilities.

UNMATCHED, PEACE-OF-MIND SECURITY

Security attacks are becoming increasingly sophisticated. Endpoints are often popular targets - including thermal printers. Proactively shield yourself from dangerous and costly security attacks. Unlike other brands, Zebra’s printers feature PrintSecure, part of Print DNA, to protect your data, secure your printer endpoints and prevent downtime.

Techninė specifikacija

Printing	
Print technology	Direct thermal
Colour	No
Maximum resolution	300 x 300 DPI
Print speed	152 mm/sec
Maximum printing width	5.4 cm
Paper handling	
Autocutter	Yes
Ribbon width	3.4 cm
Ribbon length	74 m
Maximum roll diameter	12.7 cm
Media thickness	0.06 - 0.1905 mm
Maximum media length	99.1 cm
Core diameter	1.27 cm
Ports & interfaces	
Connectivity technology	Wired & Wireless
Ethernet LAN	Yes
Wi-Fi	No
USB port	Yes
Bluetooth	Yes
Bluetooth version	4.2
Bluetooth Low Energy (BLE)	Yes

USB 2.0 ports quantity	1
RS-232 ports	1
Performance	
Page description languages	EPL, EPL2, PDF, XML, ZBI, ZPL, ZPL II
Internal memory	256 MB
Flash memory	512 MB
Built-in barcodes	1D, 2D, AZTECCODE, CODABAR (NW-7), Codablock, Code 11, Code 39, Code 49, Code 93, Code-128 Codabar Library, Data Matrix, EAN13, EAN8, Industrial 2/5, Interleaved 2/5, Logmars, MSI, MaxiCode, MicroPDF417, PDF417, Planet, POSTNET, Plessey, QR Code, UPC-A, UPC-E
Number of fonts	16
Design	
Product colour	Black
Display	No
Built-in display	No
Control type	Buttons
Power	
AC input voltage	100-240 V
AC input frequency	50-60 Hz
System requirements	
Windows operating systems supported	Yes
Mobile operating systems supported	Android, iOS
Operational conditions	
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 95%
Operating temperature (T-T)	4.4 - 41 °C
Storage temperature (T-T)	-40 - 60 °C
Weight & dimensions	
Width	115 mm
Depth	220 mm
Height	151 mm
Weight	1.07 kg
Logistics data	
Harmonized System (HS) code	84433210

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Dokumentai ir vaizdo įrašai

- Gaminio lankstinukas
- Vaizdo įrašas objects.icecat.biz/objects/101255401_21944372.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

Zebra

ATSAKINGAS ASMUO ES

Zebra Technologies
Borupvang 3, Ballerup, DK
zebra.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt