

Zalman ZET5 Procesorius Ventiliatorius 12 cm Juoda 1 vnt

Gamintojas: **ZALMAN** · Modelis: **ZET5 BLACK** · EAN: **8800263650538** · Prekės kodas: **817657**



65,90 €

Kaina su PVM

Be PVM: **54,46 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Procesorius Ventiliatorius 12 cm 2000 RPM
- ✓ Palaikomi procesoriaus lizdai: LGA 1851, LGA 1700, LGA 1200 (Socket H5), AM4 lizdas, AM5 lizdas, LGA 1150 (H3 lizdas), LGA 1151 (H4 lizdas), LGA 1155 (Socket H2), LGA 1156 (Socket H)
- ✓ 30,4 dB 44,48 cfm Hidrodinaminis guolis (HDB)
- ✓ Juoda
- ✓ 1 vnt



Aprašymas

Jet Engine-Inspired Cooling Design

Inspired by jet engines, the ZET5 showcases

Zalman's latest design and performance innovations

Clean and Modern Logo Design

Magnetic & Pogo Pin Mounting System

High-Efficiency Dual-Directional Cooling Fans

Powerful 120mm Annular Fan

Zalman AF120 annular fan is designed to prevent vortex and backflow at the end of the wings, which can improve efficiency and stability by suppressing vibration.

- High-Performance Circular Heatsink
- 53 Heatsink Fins Deliver
- Superior Cooling Efficiency
- TDP 220W
- Supports motherboard ARGB control for vibrant LED Sync

RDTH(Reverse Direct Touch Heatpipe)

Zalman’s RDTH technology is applied to minimize thermal resistance and maximize cooling performance

DTH(Direct Touch Heatpipe)

Direct heat transfers to heatpipes maximize cooling performance and minimize heat resistance

RDTH(Reverse Direct Touch Heatpipe)

RDTH allows larger dissipation area of heatpipes and minimize heat resistance

Direct Solder Bonding for Maximum Efficiency

Direct soldering between the heatpipes and heatsink allows for ultra-precise contact, significantly enhancing heat transfer efficiency.

Excellent thermal conductive thermal compound ZM-STC10

Zalman ZET5 comes with ZM-STC10.

STC10 provides ideal heat transfer to keep PC cool and ready for heavy loads. It provides excellent thermal conductivity by filling the space between the cooler base and CPU.

Techninė specifikacija

Veikimo charakteristikos	
Tinkama vieta	Procesorius
Tipas	Ventiliatorius
Ventiliatoriaus skersmuo	12 cm
Palaikomi procesoriaus lizdai	LGA 1851, LGA 1700, LGA 1200 (Socket H5), AM4 lizdas, AM5 lizdas, LGA 1150 (H3 lizdas), LGA 1151 (H4 lizdas), LGA 1155 (Socket H2), LGA 1156 (Socket H)
Sukimosi greitis (min.)	600 RPM
Sukimosi greitis (maks.)	2000 RPM
Triukšmo lygis (didelis greitis)	30,4 dB
Didžiausias oro srautas	44,48 cfm
Ventiliatoriaus laikiklio tipas	Hidrodinaminis guolis (HDB)
Kiekis pakuotėje	1 vnt
Darbo temperatūros diapazonas (TT)	-40 - 150 °C
Konstrukcija	
Produkto spalva	Juoda

Medžiaga	Varis, Aliuminis, Akrilonitrilo butadieno stirenas (ABS)
Šilumos vamzdžių skaičius	5
Šviesos diodų jungties tipas	3 jungčių
Ventiliatoriaus jungtis	Keturių kontaktų
Energijos valdymas	
Nominalioji įtampa	12 V
Ventiliatoriaus energijos suvartojimas	3,36 W
Nominali srovė	0,28 A
Šilumos galios išvado dydis (TDP)	220 W
Svoris ir matmenys	
Plotis	130 mm
Ilgis	117 mm
Aukštis	158 mm
Svoris	970 g

Dokumentai ir vaizdo įrašai

[› Naudojimo instrukcija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

ZALMAN TECH CO., Ltd

Beolmal-ro, Dongan-gu 126, Anyang-si, KR

zalman.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt