

Zebra ZD621R etikečių spausdintuvas Perkėlimas terminiu būdu 203 x 203 DPI 203 mm/sec Vielinis ir Bevielis Ethernet LAN jungtis „Wi-Fi“ Bluetooth

Gamintojas: ZEBRA · Modelis: ZD6A142-30ELR2EZ · EAN: 000150395666 · Prekės kodas: 818465



1 472,90 €

Kaina su PVM

Be PVM: 1 217,27 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Perkėlimas terminiu būdu
- ✓ 203 x 203 DPI
- ✓ Didžiausias spausdinimo plotis: 11,8 cm Spausdinimo greitis: 203 mm/sec
- ✓ Įdiegti brūkšniniai kodai: 1D, 2D
- ✓ Ryšio technologija: Vielinis ir Bevielis
- ✓ USB prievadas Ethernet LAN jungtis „Wi-Fi“ Bluetooth 4.1
- ✓ 2,5 kg

Aprašymas

INVEST IN THE BEST: PREMIUM FEATURES, MAXIMUM PERFORMANCE AND UNMATCHED SECURITY

You need a quality, long-lasting printer with top-of-the-line features to keep your business moving forward. Select Zebra's ZD600 Series 4-inch premium desktop printers, built to perform flawlessly – day in and day out. Easy to operate, they include Zebra's exclusive Print DNA software suite that makes them simple to set up, manage and secure – onsite or remotely. And, they're engineered for evolving technology for years of operation. Unlike other brands, Zebra's printers give you peace-of-mind security with PrintSecure, part of Print DNA, to prevent downtime and costly cyberattacks. Choose from direct thermal, thermal transfer, healthcare and RFID models.

SOPHISTICATED, YET SIMPLE

ZD621 printers give you premium features and performance in a compact, easy-to-use desktop printer. They're incredibly simple to install, operate, manage, maintain and secure – both onsite or remotely. Outstanding print quality paired with forward adaptability make it stand apart – for years of superior printing. And, multiple models support nearly every use case, including Healthcare and RFID.

ENGINEERED TO EVOLVE

Technology is constantly and rapidly advancing. Be ready for what's next with the ZD621 that's built to perform, today and tomorrow. It includes a more intuitive user interface, optional 4.3-inch full-color LCD touch display, field-upgradeable wireless kit and media handling options, as well as an innovative new architecture to power ever-expanding printer capabilities.

UNMATCHED, PEACE-OF-MIND SECURITY

Security attacks are becoming increasingly sophisticated. Endpoints are becoming popular targets - including thermal printers. Proactively shield yourself from dangerous and costly security attacks on your printers. Unlike other brands, Zebra's printers feature PrintSecure, part of Print DNA, to protect your data, secure your printer endpoints and prevent downtime.

Techninė specifikacija

Spausdinimo greitis	
Spausdinimo technologija	Perkėlimas terminiu būdu
Maksimali rezoliucija	203 x 203 DPI
Spausdinimo greitis	203 mm/sec
Didžiausias spausdinimo plotis	11,8 cm
Minimalus spausdinimo ilgis	99,1 cm
Popieriaus tiekimas	
Kaspino plotis	10,9 cm
Juostos ilgis	300 m
Maksimalus etiketės plotis	11,8 cm
Ruošinio storis	0.08 - 0.19 mm
Palaikomas popieriaus plotis	15 - 118 mm
Šerdies skersmuo	2,54 cm
Ryšys	
Ryšio technologija	Vielinis ir Bevielis
Ethernet LAN jungtis	Taip
„Wi-Fi“	Taip
USB prievadas	Taip
Wi-Fi standartai	Wi-Fi 5 (802.11ac)
Bluetooth	Taip
Bluetooth versija	4.1
Nedaug energijos naudojantis „Bluetooth“ (BLE)	Taip

Veikimo charakteristikos

Puslapio aprašymo kalbos	EPL2, PDF, XML, ZBI, ZPL II
Vidinė atmintis	256 MB
Flash atmintis	512 MB
Įdiegti brūkšniniai kodai	1D, 2D
Šriftų skaičius	16
Įmontuotas RFID modulis	Taip

Konstrukcija

Produkto spalva	Pilka
Valdymo tipas	Mygtukai, Jutiklinis

Energijos valdymas

AC įėjimo įtampa	100-240 V
AC įėjimo dažnis	50-60 Hz

Sistemos reikalavimai

Palaikomos „Windows“ operacinės sistemos	Taip
Palaikomos mobiliosios operacinės sistemos	Android, iOS

Aplinkos sąlygos

Darbo santykinės drėgmės diapazonas	10 - 90%
Sandėliavimo santykinis drėgmės diapazonas	5 - 95%
Darbo temperatūros diapazonas (TT)	4,4 - 41 °C
Sandėliavimo temperatūros norma (T-T)	-40 - 60 °C

Svoris ir matmenys

Plotis	202 mm
Ilgis	267 mm
Aukštis	192 mm
Svoris	2,5 kg

Logistikos duomenys

Darniosios sistemos (DS) kodas	84433210
--------------------------------	----------

Techninė informacija

Tvarumo sertifikatai	ENERGY STAR
----------------------	-------------

Dokumentai ir vaizdo įrašai

- › [Gaminio lankstinukas](#)
- › [Vaizdo įrašas](#) objects.icecat.biz/objects/89813486_19304219.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

Zebra

ATSAKINGAS ASMUO ES

Zebra Technologies

Borupvang 3, Ballerup, DK

zebra.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt