

Lindy 36902 USB kabelis 1,5 m USB C 10 Gbit/s Juoda, Pilka

Gamintojas: **LINDY** · Modelis: **36902** · EAN: **4002888369022** · Prekės kodas: **818823**



19,90 €

Kaina su PVM

Be PVM: **16,45 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 1,5 m
- ✓ 10000 Mbit/s
- ✓ USB C Tiesus Kištukinis
- ✓ Juoda, Pilka
- ✓ USB C Tiesus Kištukinis
- ✓ 1 vnt



Aprašymas

The Anthra Line USB 3.2 Type C to C, 5A, cables from Lindy's Cable Lines concept are the professional choice for high performance connections in commercial AV and IT installations.

Anthra Line USB 3.2 cables are premium connections that feature triple shielded construction with tinned copper conductors for performance and corrosion resistance. High quality 24K gold plated contacts and connectors maintain optimal signal integrity and maximum reliability.

USB bandwidths up to 20Gbps are supported for rapid transfer of large data volumes. These cables are E-marked to provide 100W (5A) of power to devices using the most efficient power delivery profiles. The cable supports DisplayPort Alternate mode at max. 4K 60Hz.

USB Type C features a new reversible connector, so no matter which orientation the cable is inserted, a connection will always be found. This connector allows a fully bi-directional cable with automatic host and device negotiation.

Anthra Line USB 3.2 Type C to C, 5A cables are available in the following lengths: 0.5m, 1m and 1.5m.

Information about USB generations We have adapted the naming of our USB 3 cables to follow the updated USB specification. USB 3.0 and USB 3.1 Gen 1 have been renamed to USB 3.2 Gen 1, supporting data transfer up to 5Gbps USB 3.1 and USB 3.1 Gen 2 are now called USB 3.2 Gen 2, supporting data transfer rates up to 10 Gbps USB 3.2 Gen 2x2 is a new standard, supporting data transfer rates up to 20 Gbps

USB 3.0, USB 3.1 and USB 3.2 PCs, cables and devices are all compatible with each other, when using either a USB Type A or USB Type C host interface.

Techninė specifikacija

Savybės	
Jungtis 1	USB C
Jungtis 2	USB C
1 jungtis – vidinė ar išorinė	Kištukinis
2 jungtis – vidinė ar išorinė	Kištukinis
Produkto spalva	Juoda, Pilka
1 jungties forma	Tiesus
2 jungties forma	Tiesus
AWG laido dydis	24/30/32
Jungties kontaktų dengimas	Auksas
Laido dangos medžiaga	Polivinilo chloridas (PVC)
Didžiausias duomenų perdavimo greitis	10000 Mbit/s
Maksimalaus duomenų perdavimo sparta	10 Gbit/s
Kabelio spalva	Juoda
Svoris ir matmenys	
Kabelio ilgis	1,5 m
Kabelio skersmuo	4,8 mm
Pakuotės duomenys	
Pakuotės tipas	Užspaudžiamas maišelis
Pakuotės turinys	
Kiekis pakuotėje	1 vnt
Sertifikatai	
Atitikties sertifikatai	RoHS
Sertifikavimas	REACH, UL
Logistikos duomenys	
Darniosios sistemos (DS) kodas	84733080

Matmenys ir svoris

Matmenys (I × P × A)	20,00cm × 17,00cm × 3,00cm
Svoris	0,07kg

Gamintojo ir saugos informacija

GAMINTOJAS

LINDY International Ltd.

Sadler Forster Way Unit 103, TS17 9JY Stockton-on-Tees, GB
lindy.com

ATSAKINGAS ASMUO ES

LINDY-Elektronik GmbH

Markircher Str. 22, 68229 Mannheim, DE
lindy.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt