

Lindy 7.5m Standard HDMI Cable, Black Line

 Gamintojas: **LINDY** · Modelis: **36467** · EAN: **4002888364676** · Prekės kodas: **819081**


21,90 €

Kaina su PVM

 Be PVM: **18,10 €**

Sandėlyje


Prekė internetu

 Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Entry Level Standard HDMI 2.0 cable for home and small office applications
- ✓ Supports UHD resolutions up to 4096x2160@30hz 4:4:4 8bit
- ✓ Robust PVC housing, Nickel Connectors, 24k gold plated contacts
- ✓ Triple shielded cable, corrosion resistant copper coated steel 28AWG conductors
- ✓ 10 year warranty



Aprašymas

From the lines cable connectivity concept developed by Lindy, Black Line Standard HDMI cables are fully featured, entry level high resolution connection solutions, perfect for home and small office use.

Black Line Standard HDMI cables feature triple shielded construction with 28AWG copper coated steel conductors for premium performance and corrosion resistance. Nickel connectors and gold flashed contacts maintain signal integrity and reliability.

UHD resolutions up to 4K 4096x2160@30Hz 4:4:4 8bit are supported. Black Line HDMI cables are also capable of transmitting 32 channel audio and Dolby True HD.

The HDMI 2.0 specification is supported for 10.2Gbps bandwidth capacity in cable lengths up to 15m.

Black Line HDMI cables are available in lengths from 0.5m to 15m

Techninė specifikacija

Features	
Cable length	7.5 m
Connector 1	HDMI Type A (Standard)
Connector 2	HDMI Type A (Standard)
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Connector contacts plating	Nickel
Connector 1 form factor	Straight
Connector 2 form factor	Straight
HDMI version	2
Supported graphics resolutions	4096 x 2160
Supported video modes	2160i
HDMI Ethernet channel	Yes
Data transfer rate	10.2 Gbit/s
Maximum refresh rate	30 Hz
AWG wire size	28
Connector housing material	Polyvinyl chloride (PVC)
Connector material	Nickel
Cable material	Copper-clad steel (CCS)
Cable type	Round cable
Cable jacket material	Nylon/Polyvinyl Chloride (PVC)
Magnetically shielded	Yes
Shield material	Aluminium
Bending radius (min)	7 cm
Colour sampling	4:4:4
Operational conditions	
Operating temperature (T-T)	-10 - 80 °C
Storage temperature (T-T)	-10 - 80 °C
Sustainability	
Sustainability certificates	UL ECOLOGO
Sustainability compliance	Yes

Certificates

Compliance certificates	REACH, RoHS
-------------------------	-------------

Weight & dimensions

Cable diameter	7 mm
Connector 1 dimensions (WxDxH)	19.2 x 34.1 x 10.6 mm
Connector 2 dimensions (WxDxH)	19.2 x 34.1 x 10.6 mm

Packaging data

Package type	Polybag
--------------	---------

Matmenys ir svoris

Matmenys (l × p × A)	23,00cm × 22,00cm × 5,00cm
Svoris	0,46kg

Dokumentai ir vaizdo įrašai

- › [Gaminio lankstinukas](#)
- › [Atitikties deklaracija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

LINDY International Ltd.

Sadler Forster Way Unit 103, TS17 9JY Stockton-on-Tees, GB
lindy.com

ATSAKINGAS ASMUO ES

LINDY-Elektronik GmbH

Markircher Str. 22, 68229 Mannheim, DE
lindy.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- › [Atitikties deklaracija](#)