

Lindy 100m Cat.6 4 Port HDMI 4K60 HDBT Splitter Extender

Gamintojas: **LINDY** · Modelis: **38355** · EAN: **4002888383554** · Prekės kodas: **819085**



1 044,90 €

Kaina su PVM

Be PVM: **863,55 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ HDBaseT Splitter Extender that extends and distributes HDMI, IR and RS-232 signals to 4 displays at distances of up to 100m
- ✓ Supports resolutions up to 4K60Hz with HDR
- ✓ Features a loop-through HDMI output for local monitoring
- ✓ Supports Power over Cable (PoC), EDID management and Audio de-embedding
- ✓ 2 year warranty



Aprašymas

The Lindy 100m Cat.6 4 Port HDMI 4K60 HDBaseT Splitter Extender is an high end solution to Extend HDMI signals to 4 HDBaseT receivers (not included) using Cat.6 or above cables up to 100m.Compatible with most HDBaseT receivers on the market like N. 38342 and 38214.

Supporting resolutions up to 4K60Hz including HDR and 1080p, the Splitter Extender is designed for use in Pro AV and digital signage applications for a variety of settings such as education, retail, immersive displays at events and conference rooms.

It supports several signals and features such as digital and analog de-embedded audio, IR and RS-232 control or pass-through signals. An advanced EDID management allow the user to select different EDID modes while the integrated HDMI loop-out port enables simultaneous viewing so that a local display can be connected for monitoring, or to create an additional viewing zone.

PoC (Power over Cable) functionality can be switched on and off to provide additional flexibility; this allows power to be supplied alongside data

through Cat.6 network cable between the transmitter and any HDBaseT receiver with this function, meaning only a single power supply is required at the transmitter unit.

Please Note: Receivers are not included, ensure to use HDBaseT receivers that support all the required features.

Techninė specifikacija

Ports & interfaces	
Video ports quantity	2
Video port type	HDMI
Video out	HDMI
HDMI version	2
Ethernet LAN (RJ-45) ports	4
Audio ports quantity	8
Headphone out	Yes
Headphone connectivity	3.5 mm
DC-in jack	Yes
Features	
Maximum resolution	3840 x 2160 pixels
Product colour	Black
Housing material	Metal
HD type	4K Ultra HD
Maximum operating distance	100 m
Colour depth	8 bit
Maximum refresh rate	60 Hz
Data transfer rate	18 Gbit/s
Network	
Ethernet LAN	Yes
Cable types supported	Cat6
Weight & dimensions	
Width	220 mm
Depth	130 mm
Height	40 mm
Weight	1.4 kg
Packaging data	
Quantity per pack	1 pc(s)

Package width	285 mm
Package depth	274 mm
Package height	100 mm
Package weight	1.89 kg
Package type	Box
Packaging content	
Manual	Yes
Cables included	IR, Power
AC adapter included	Yes
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 90%
Matmenys ir svoris	
Matmenys (I × P × A)	29,00cm × 27,00cm × 11,00cm
Svoris	2,34kg

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

LINDY International Ltd.

Sadler Forster Way Unit 103, TS17 9JY Stockton-on-Tees, GB
lindy.com

ATSAKINGAS ASMUO ES

LINDY-Elektronik GmbH

Markircher Str. 22, 68229 Mannheim, DE
lindy.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt