StarTech.com 8.3ft (2.5m) 1-Port FTDI USB to Serial RS232 Adapter Cable with Optical Isolation, USB to RS232 Adapter - TAA

Gamintojas: **STARTECH** · Modelis: **ICUSB2321FIS** · EAN: **065030845373** · Prekės kodas: **819463**



153,90 €

Kaina su PVM

Be PVM: **127,19 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ MULTI-USE FUNCTIONALITY: This versatile USB to serial RS232 adapter is perfect for a range of applications, from digital signage to connecting point-of-sale systems and barcode scanners
- ✓ CUSTOMIZABLE SOLUTION: This USB serial hub features an FTDI chipset, making it highly customizable and compatible, and the ideal solution for any setup; Integrated 2500Vrms Optical Isolation Circuits
- ✓ COMPACT DESIGN: Designed with a small form factor, this serial RS232 converter is USB powered and requires no bulky power adapters or an outlet
- ✓ EASY INSTALLATION: This serial adapter ensures easy installation and operation with COM port retention that provides robust serial connectivity for legacy devices
- ✓ TECH SPECS: 8.3 feet (2.4 meters); FTDI FT232RL Chipset; Max Baud Rate: 921.6 Kbps; 256 Bytes FIFO; None/Odd/Even/Mark/Space Parity Modes; 7 or 8 Data Bits; 1 or 2 Stop bits; 500W Bi-directional circuits Surge Protection; TAA Compliant







Aprašymas

Add an RS232 serial port with circuit isolation to your laptop or desktop computer, through USB

The ICUSB2321FIS 1-Port FTDI USB to Serial RS232 Adapter Cable with Optical Isolation converts an available USB 1.1 or 2.0 port into an RS232 DB9 port that can be used to connect, monitor and control your serial devices.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

The USB to serial adapter features integrated optical isolation circuits and surge protection to protect your critical, sensitive control equipment against electrical damage, making it a viable solution for costly industrial serial devices.
The versatile FTDI chipset also supports COM retention, additional customization/features, and compatibility not offered by most other solutions.
Broad operating system compatibility including Windows®, Windows CE, Mac OS and Linux, makes this product easy to integrate into mixed environments.
Backed by a StarTech.com 2-year warranty and free lifetime technical support.

Techninė specifikacija

Ports & interfaces	
Connector 1	DB-9
Connector 2	USB A
Connector 1 gender	Male
Connector 2 gender	Male
Cable length	2.5 m
Performance	
Product colour	Black
Housing material	Plastic
USB required	Yes
Chipset	FTDI - FT232RL
Data bits	7, 8
Stop bits	1, 2
Baud rate	921.6 Kbit/s
Parity bit	Even, Mark, No, Odd, Space
Isolation	2500 kV
FIFO (First In, First Out)	256 B
Compatible operating systems	Windows CE (4.2, 5.0, 6.0), XP Embedded, 98SE, 2000, XP, Vista, 7, 8, 8.1, 10, 11 Windows Server 2003, 2008 R2, 2012, 2012 R2, 2016, 2019 macOS 10.6 to 10.15, 11.0, 12.0, 13.0 Linux Kernel 3.0.x+
Operational conditions	
Operating temperature (T-T)	0 - 55 °C
Storage temperature (T-T)	-20 - 85 °C
Relative humidity	5 - 95%
Certificates	
Compliance certificates	CE, RoHS
Certification	CE, FCC, Microsoft WHQL
Weight & dimensions	
Width	40 mm

Depth	2400 mm
Height	20 mm
Weight	86 g
Packaging content	
Manual	Yes
Drivers included	Yes
Packaging data	
Package width	145 mm
Package depth	212 mm
Package height	41 mm
Package weight	222 g
Logistics data	
Products per master (outer) case	50 pc(s)
Master (outer) case width	448 mm
Master (outer) case length	530 mm
Master (outer) case height	126 mm
Sustainability	
Sustainability compliance	Yes
Other features	
Gross weight (imperial)	0.2 kg (0.44 lbs)
Matmenys ir svoris	
Matmenys (I × P × A)	21,00cm × 18,00cm × 4,00cm
Svoris	0,24kg

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.
Artisans Crescent 45, N5V 5E9 Ontario, London, CA
startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited
Laarderhoogtweg 25, 1101 EB Amsterdam, NL
startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.