

StarTech.com 3ft (1m) Mini DisplayPort Cable, 8K 60Hz HDR10, Ultra HD 4K 120Hz Video, mDP 1.4 Cable for Monitors Displays, Mini DisplayPort Cord - M/M

Gamintojas: **STARTECH** · Modelis: **MDISP1M** · EAN: **065030844475** · Prekės kodas: **819464**



18,90 €

Kaina su PVM

Be PVM: **15,62 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ **COMPATIBILITY NOTE:** This is not a Thunderbolt cable and is not compatible with Thunderbolt peripherals such as Docking Stations, Displays or External Enclosures; It can however be used to connect a Thunderbolt 2 laptop to a Mini-DisplayPort monitor
- ✓ **HIGH PERFORMANCE:** Mini DisplayPort 1.4 cable; 8K 60Hz (7680x4320p), 4K 120Hz (3840x2160p), 32.4Gbps bandwidth, HDR10, 32Ch Audio, MST, GTC for precise audio channel timing; future-proof your equipment by making it 8K ready
- ✓ **RELIABLE DESIGN:** Durable ABS connectors with flexible PVC strain relief and jacket prevents fraying or damage due to bending or rough usage; Metal connector sub-structure provides EMI shielding
- ✓ **QUALITY CONSTRUCTION:** 32AWG wire with gold-plated connectors for improved signal integrity & reliability; Superior EMI shielding with double sided copper foil provides higher quality video and audio; mDP cable is Backward compatible with DP1.2 and DP1.1
- ✓ **SPECS:** 3.3 feet (1 m); Black Mini DP Cable; DisplayPort v1.4; mDP Male to mDP Male Cord; 32 AWG; PVC cable jacket, ABS connector shell; Shield: Al-Mylar foil with Braid; Protocols: HBR3, MST, GTC; Backed for Life



Aprašymas

Create a high-resolution 8k or 4k connection with HBR3 support between your Mini DisplayPort™-equipped laptop and monitor

This Mini DisplayPort™ 1.4 cable features 2 Mini DP male connectors, and offers a dependable solution for connecting any Mini DisplayPort-enabled laptop (including Mac® family of products) to a Mini DisplayPort-equipped monitor.

The mDP cable supports high resolutions of up to 8k (7680 x 4320) @ 60Hz with a maximum HBR3 bandwidth of 32.4 Gbps. The cable also supports Multi-Stream (MST) for daisy chaining multiple monitors and provides optional audio support.

Ensures reliable performance and proper display of digitally protected content, with support for both HDCP and DPCP.

Newer laptop and desktop computers (e.g. Apple®) come equipped with Thunderbolt™ ports only. Our Mini DisplayPort Cables can be connected to the Thunderbolt ports, enabling you to connect your Mini DP compatible displays.

Please note: This is not a Thunderbolt cable, and therefore does not work for Thunderbolt peripherals (displays, docks, drive enclosures, audio interfaces, etc).

Techninė specifikacija

Features	
Cable length	1 m
Connector 1	Mini DisplayPort
Connector 2	Mini DisplayPort
Connector 1 gender	Male
Connector 2 gender	Male
Maximum resolution	3840 x 2400 pixels
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Nickel
DisplayPort version	1.2
Supported graphics resolutions	2560 x 1600 (WQXGA), 3840 x 2400
Supported video modes	720p, 1080p, 2160p
Maximum refresh rate	60 Hz
HDCP	Yes
DisplayPort Content Protection (DPCP)	Yes
Cable rating	CMG (CM)
Cable shielding	Aluminum mylar foil
Jacket material	Polyvinyl chloride (PVC)
AWG wire size	32
Bandwidth	21600 MB/s
Plug and Play	Yes
Multi-Stream Transport (MST)	Yes

Number of conductors	19
----------------------	----

Certificates

Compliance certificates	CE, RoHS
-------------------------	----------

Weight & dimensions

Weight	39.9 g
--------	--------

Packaging data

Package width	200 mm
---------------	--------

Package depth	220 mm
---------------	--------

Package height	12 mm
----------------	-------

Package weight	40.3 g
----------------	--------

Packaging content

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------

Master (outer) case width	320 mm
---------------------------	--------

Master (outer) case length	500 mm
----------------------------	--------

Master (outer) case height	210 mm
----------------------------	--------

Products per master (outer) case	100 pc(s)
----------------------------------	-----------

Sustainability

Sustainability compliance	Yes
---------------------------	-----

Matmenys ir svoris

Matmenys (I × P × A)	22,00cm × 20,00cm × 2,00cm
----------------------	----------------------------

Svoris	0,05kg
--------	--------

Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.

Artisans Crescent 45, N5V 5E9 Ontario, London,
CA

startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited

Laarderhoogtweg 25, 1101 EB Amsterdam, NL

startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt