

StarTech.com DP2HD4K60S vaizdo kabelio adapteris 0,215 m DisplayPort HDMI Juoda

Gamintojas: **STARTECH** · Modelis: **DP2HD4K60S** · EAN: **065030865722** · Prekės kodas: **819598**



38,90 €

Kaina su PVM

Be PVM: **32,15 €**

Sandėlyje



Prekę internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 0,215 m
- ✓ DisplayPort Tiesus Kištukinis
- ✓ HDMI Tiesus Lizdinis
- ✓ 3840 x 2160 pikseliai 60 Hz
- ✓ Juoda
- ✓ 1 vnt



Aprašymas

Connect your DP computer to an HDMI display using this converter, which supports UHD resolutions up to 4K at 60Hz

This DisplayPort to HDMI® adapter lets you output HDMI video and audio from a DP device, with support for Ultra HD 4K at 60Hz.

Astonishing picture quality with support for Ultra HD 4K at 60 Hz

The adapter lets you harness the video capabilities that are built into your DisplayPort connection, to deliver the astonishing quality of UHD to your 4K 60Hz display. This makes it easier for you to multitask while using multiple monitors to work on resource-demanding applications.

Unlike many 4K DisplayPort to HDMI adapters that only support a 30Hz refresh rate, this adapter works with HDMI 2.0 displays that can deliver output resolutions of up to 3840 x 2160p at 60Hz. Support for HDMI 2.0 means this adapter can support bandwidth up to 18Gbps, making it the ideal solution for performing high-resolution tasks such as editing 4K video.

The adapter is backward compatible with 1080p displays, which ensures that it will work with lower resolution displays such as TVs or projectors around your home or office.

Ultimate portability with a compact, lightweight design

The compact video adapter is highly portable and lightweight. It's the perfect accessory for your portable DP devices, fitting easily into your laptop bag or carrying case.

The portable adapter is a convenient addition when deploying company computers because it enables your employees to interface with BYOD (Bring Your Own Device) HDMI applications around the office, such as working at a hot-desk with an HDMI display or sharing your laptop's screen on a boardroom projector.

Hassle-free setup with an active adapter that features plug-and-play installation

To ensure compatibility with any DisplayPort output, the DP adapter offers active conversion. Active video conversion is required to maintain 4K resolutions when converting DisplayPort to HDMI. An active DP adapter is ideal for outputting 1080p resolutions because it will work with graphics cards that can't output multimode DP++ signals, such as ATI Eyefinity™ cards.

For a hassle-free setup, the DisplayPort to HDMI adapter allows for plug-and-play installation without any additional software or drivers.

Note: To achieve 4K resolution at 60 Hz, a DisplayPort 1.4 output and an HDMI 2.0 display are required.

The DP2HD4K60S is backed by a 3-year StarTech.com warranty and free lifetime technical support.

Techninė specifikacija

Savybės	
Kabelio ilgis	0,215 m
Jungtis 1	DisplayPort
Jungtis 2	HDMI
1 jungtis – vidinė ar išorinė	Kištukinis
2 jungtis – vidinė ar išorinė	Lizdinis
1 jungties forma	Tiesus
2 jungties forma	Tiesus
HDMI versija	2.0
HDCP	Taip

HDCP versija	2.2
„DisplayPort“ versija	1.4
„DisplayPort“ turinio apsauga (DPCP)	Taip
Maksimali rezoliucija	3840 x 2160 pikseliai
Palaikomos grafikos rezoliucijos	1280 x 720 (HD 720), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 3840 x 2160
Palaikomi vaizdo režimai	720p, 1080p, 2160p
Maksimalus atnaujinimo dažnis	60 Hz
Produkto spalva	Juoda
Lustų rinkinys	Parade - PS176
Palaikomi garso kanalai	7.1
„Plug and Play“ funkcija	Taip
Konverterio tipas	Aktyvus

Aplinkos sąlygos

Darbo temperatūros diapazonas (TT)	5 - 35 °C
Sandėliavimo temperatūros norma (T-T)	-25 - 70 °C

Sertifikatai

Atitikties sertifikatai	CE, RoHS
-------------------------	----------

Svoris ir matmenys

Svoris	24 g
Plotis	195 mm
Ilgis	215 mm
Aukštis	10 mm

Pakuotės duomenys

Pakuotės plotis	126 mm
Pakuotės gylis	127 mm
Pakuotės aukštis	17 mm
Paketo svoris	33 g

Pakuotės turinys

Kiekis pakuotėje	1 vnt
------------------	-------

Logistikos duomenys

Darniosios sistemos (DS) kodas	84733080
Pagrindinės (išorinės) dėžės plotis	509 mm
Pagrindinės (išorinės) dėžės ilgis	344 mm
Pagrindinės (išorinės) dėžės aukštis	225 mm

Gaminių skaičius pagrindinėje (išorinėje) dėžėje

250 vnt

Matmenys ir svoris

Matmenys (I × P × A)

14,00cm × 3,00cm × 2,00cm

Svoris

0,04kg

Dokumentai ir vaizdo įrašai

- › [Gaminio lankstinukas](#)
- › [Vaizdo įrašas](#) youtube.com/watch?v=kyg4wyyAG9o

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.Artisans Crescent 45, N5V 5E9 Ontario, London,
CAstartech.com

ATSAKINGAS ASMUO ES

StarTech.com LimitedLaarderhoogtweg 25, 1101 EB Amsterdam, NL
startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURUV. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt