Bosch GLL 3-80 Professional Line level 30 m 630 - 650 nm (< 10 mW)

Gamintojas: **BOSCH** · Modelis: **0601063S00** · EAN: **3165140888356** · Prekės kodas: **819789**



445.90€

Kaina su PVM

Be PVM: **368.51€**

In Stock

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ High visual clarity is provided by high-powered diodes
- ✓ 3 x 360° lines allow for simultaneous horizontal and vertical levelling applications for highly efficient work
- ✓ Intuitive user interface offers easy operation

Aprašymas

Line Laser GLL 3-80 Professional
3 x 360° for visibility on a new level

The line laser GLL 3-80 Professional projects 3 x 360° lines for next level visibility. High visual clarity is provided by high-powered diodes. This tool's 3 x 360° lines allow for simultaneous horizontal and vertical levelling applications around the entire room for highly efficient work, while the tool´s intuitive user interface offers easy operation.

This line laser was developed for suspending drop ceilings, building floors, installing windows, mounting shelves, laying drainage pipes, building framework for drywall, and laying tiles.

The GLL 3-80 Professional is perfect for fast self-levelling and it is capable of self-levelling on non-level surfaces up to +/- 4° in less than 4 seconds with excellent precision of ± 0.3 mm/m*/**. It has a working range of up to 120 m when using the optional LR 6 or LR 7 Professional receiver. This line laser is compact, easy to handle, and extremely robust (IP54).

Techninė specifikacija

Features

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Maximum range	30 m
Levelling accuracy (±)	0.3 mm/m
Self-levelling range (±)	4°
Maximum range (with receiver)	120 m
Self-levelling	Yes
Number of laser lines	3
Wavelength	630 nm
Beam direction	Horizontal/Vertical
Laser class	2
Laser diode	630 - 650 nm (< 10 mW)

Design

Type	Line level
Product colour	Black, Blue, Red
Tripod mounting supported	Yes
Tripod thread	1/4,5/8"
International Protection (IP) code	IP54

Battery

Power source	Battery
Operating time	4 h
Battery type	AA
Battery voltage	1.5 V
Number of batteries supported	4
Battery level indicator	Yes

Operational conditions

Operating temperature (T-T)	-10 - 40 °C
Operating relative humidity (H-H)	0 - 90%
Storage temperature (T-T)	-20 - 70 °C
Operating altitude	0 - 2000 m

Weight & dimensions

Width	84 mm
Depth	149 mm
Height	143 mm
Weight	820 g

Packaging content

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Battery included	Yes
Number of batteries included	4 pc(s)

Dokumentai ir vaizdo įrašai

› User manual

Gamintojo ir saugos informacija

MANUFACTURER

Bosch

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt