

Lenovo ThinkSystem SR635 V3 server Rack (1U) AMD EPYC 9015 3.6 GHz 32 GB DDR5-SDRAM 1100 W

Gamintojas: **LENOVO** · Modelis: **7D9G1000EA** · Prekės kodas: **821966**



3 039,90 €

Kaina su PVM

Be PVM: **2 512,31 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ No OS
- ✓ 32GB (4800MHz) DDR5-SDRAM (1 x 32)
- ✓ AMD EPYC 9015 (64MB Cache, 3.6GHz)

Aprašymas

The Lenovo ThinkSystem SR635 V3 is a 1-socket 1U server that features the AMD EPYC 9004 "Genoa" family of processors. With up to 128 processor cores and support for the new PCIe 5.0 standard for I/O, the SR635 V3 offers the ultimate in one-socket server performance in a 1U form factor.

This product guide provides essential pre-sales information to understand the ThinkSystem SR635 V3 server, its key features and specifications, components and options, and configuration guidelines. This guide is intended for technical specialists, sales specialists, sales engineers, IT architects, and other IT professionals who want to learn more about the SR635 V3 and consider its use in IT solutions.

Techninė specifikacija

Processor	
Processor family	AMD EPYC
Processor manufacturer	AMD
Processor model	9015
Processor frequency	3.6 GHz
Processor boost frequency	4.1 GHz

Processor cores	8
Processor cache	64 MB
Number of processors installed	1
Memory	
Internal memory	32 GB
Internal memory type	DDR5-SDRAM
Maximum internal memory	1.5 TB
Memory slots	12x DIMM
ECC	Yes
Memory clock speed	4800 MHz
Memory layout (slots x size)	1 x 32 GB
Storage	
Optical drive type	No
Hot-swap	Yes
Internal drive bays	8
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
USB 2.0 ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4
VGA (D-Sub) ports quantity	2
Design	
Chassis type	Rack (1U)
Product colour	Black, Metallic
Rack mounting	Yes
Performance	
Performance management	XClarity Standard
Trusted Platform Module (TPM)	Yes
Trusted Platform Module (TPM) version	2
Software	
Operating system installed	No
Compatible operating systems	Microsoft Windows Server, Microsoft Windows 10 & 11, Red Hat Enterprise Linux, SUSE Linux Enterprise Server, VMware ESXi, Ubuntu Server
Power	
Redundant power supply (RPS) support	Yes

Power supply	1100 W
--------------	--------

Number of redundant power supplies installed	1
--	---

Certificates

80 PLUS certification	80 PLUS Titanium
-----------------------	------------------

Certification	ANSI/UL 62368-1 IEC 62368-1 (CB Certificate and CB Test Report) FCC - Verified to comply with Part 15 of the FCC Rules, Class A Canada ICES-003, issue 7, Class A CSA C22.2 No. 62368-1 CISPR 32, Class A, CISPR 35 Japan VCCI, Class A Taiwan BSMI CNS15936, Class A; CNS15598-1; Section 5 of CNS15663 CE, UKCA Mark (EN55032 Class A, EN62368-1, EN55024, EN55035, EN61000-3-2, EN61000-3-3, (EU) 2019/424, and EN IEC 63000 (RoHS)) Korea KN32, Class A, KN35 Russia, Belorussia and Kazakhstan, TP EAC 037/2016 (for RoHS) Russia, Belorussia and Kazakhstan, EAC: TP TC 004/2011 (for Safety); TP TC 020/2011 (for EMC) Australia/New Zealand AS/NZS CISPR 32, Class A; AS/NZS 62368.1 UL Green Guard, UL2819 Energy Star 3.0 EPEAT (NSF/ ANSI 426) Bronze China CCC certificate, GB17625.1; GB4943.1; GB/T9254 China CECP certificate, CQC3135 China CELP certificate, HJ 2507-2011 Japanese Energy-Saving Act Mexico NOM-019 TUV-GS (EN62368-1, and EK1-ITB2000) India BIS 13252 (Part 1) Germany GS Ukraine UkrCEPRO Morocco CMIM Certification (CM) EU2019/424 Energy Related Product (ErP Lot9)
---------------	--

Weight & dimensions

Width	440 mm
-------	--------

Depth	773 mm
-------	--------

Height	43 mm
--------	-------

Weight	20.2 kg
--------	---------

Gamintojo ir saugos informacija

GAMINTOJAS

Lenovo Group Limited

Courtyard Xibeiwang East Road Building 2, No.10,
100094 Beijing, CN

lenovo.com

ATSAKINGAS ASMUO ES

Lenovo France SAS

Rue des Deux Gares 20, 92500 Rueil-Malmaison,
FR

lenovo.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt