Chieftec Polaris PRO 1300W power supply unit 20+4 pin ATX ATX Black

Gamintojas: **CHIEFTEC** · Modelis: **PPX-1300FC-A3** · EAN: **753263078162** · Prekės kodas: **822440**



310,90 €

Kaina su PVM

Be PVM: **256,94 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ ATX 3.0 with PCIe GEN5
- ✓ 80 PLUS® PLATINUM certified efficiency
- ✓ Full Japanese Capacitors
- ✓ LLC Half-Bridge converter with DC-to-DC technology
- ✓ Fully modular cable management









Aprašymas

The CHIEFTEC Polaris Pro Series features advanced thermal control with the Zero RPM mode, enabling the optimal balance between silence at low power consumption and ideal cooling, with 80 PLUS® PLATINUM certified efficiency. Polaris Pro Series is designed for Intel’s state-of-the-art ATX 3.0 standard with native PCIe GEN5 connector. The Polaris Pro Series is built with 100% high-end Japanese capacitors to achieve unprecedented tight voltage regulation and lower ripple and noise to maximize your system performance and excellent durability. Fully modular cable management

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

ensures a clean and convenient build inside any system.

Techninė specifikacija

Power	
Total power	1300 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Input current	15-8 A
Power factor	0.9
Power Factor Correction (PFC) type	Active
Combined power (+3.3V)	120 W
Combined power (+5V)	120 W
Combined power (-12V)	3.6 W
Combined power (+5Vsb)	15 W
Max output current (+3.3V)	24 A
Max output current (+12V1)	108.3 A
Max output current (+5V)	24 A
Max output current (-12V)	0.3 A
Max output current (+5Vsb)	3 A
Power protection features	Over current, Over power, Over voltage, Short circuit, Under voltage
Ports & interfaces	
Motherboard power connector	20+4 pin ATX
Peripheral (Molex) power connectors (4-pin)	4
Motherboard power cable length	60 cm
Number of SATA power connectors	12
SATA power cable length	100,550 mm
Peripheral (Molex) power cable length	150,500 mm
EPS power connector (8-pin)	Yes
PCI Express power connectors (6+2 pin)	6
PCI Express power connectors (16-pin)	1
Floppy drive power connector	1
Floppy disk drive connector	Yes
Cabling type	Fully-Modular
Performance	

Purpose	PC
Power supply unit (PSU) form factor	ATX
80 PLUS certification	80 PLUS Platinum
ATX version	3
Bearing technology	FDB
Design	
Product colour	Black
Cooling type	Active
Fan diameter	13.5 cm
Weight & dimensions	
Width	150 mm
Depth	160 mm
Height	86 mm
Weight	3.13 kg
Packaging data	
Package weight	3.49 kg
Package type	Box
Logistics data	
Warranty period	5 year(s)

Dokumentai ir vaizdo įrašai

- Gaminio lankstinukas
- Vaizdo įrašas youtube.com/watch?v=UryNX4flpn0

Gamintojo ir saugos informacija

GAMINTOJAS

Arena Electronic GmbH
Koppersstr. 18, 40549 Düsseldorf, DE
chieftec.eu

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.