StarTech.com Mini DisplayPort to VGA Adapter - Active Mini DP to VGA Converter - 1080p Video - mDP or Thunderbolt 1/2 Mac/PC to VGA Monitor/Projector/Display - mDP 1.2 to VGA Dongle - White

Gamintojas: **STARTECH.COM** · Modelis: **MDP2VGAW** · EAN: **065030845977** · Prekės kodas: **822536**



39,91 €

Kaina su PVM

Be PVM: **32,98 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ MINI DISPLAYPORT TO VGA ADAPTER: Mini DP 1.2 (HBR2) video adapter connects a VGA display or projector supporting 1920x1200 & 1080p at 60Hz; EDID & DDC pass-through ensures compatibility between source & display / White
- ✓ HOST COMPATIBILITY: Active digital to analog converter supports mDP/mDP++ source including Thunderbolt 1 & 2 MacBooks, MacBook Air & Mac Mini, Microsoft Surface Pro 1-6, desktops (AMD FirePro/NVidia Quadro), laptops, mini itx computers, Intel NUC & docks
- ✓ INCREASE PRODUCTIVITY: Connect a VGA monitor or projector, or add a second display to your workstation using this mDP to VGA adapter dongle; Compact design makes it ideal for travel to & from office/home / 5" (13cm) cable
- ✓ SCREW LOCKING VGA: Mini DisplayPort to VGA display adapter supports VGA screw locking cable to prevent cable from coming loose or accidental disconnection from VGA displays and projectors / Tested with VGA cables up to 25'
- ✓ EASY TO USE: With no software or drivers required, the Mini DP to VGA converter (male to female) works with any OS including Windows, Ubuntu and macOS; Compatible with MiniDP devices like Microsoft Surface PCs or TB1/TB2 MacBooks





Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Aprašymas

Connect a VGA display to a Mini-DisplayPort®-equipped PC or Mac® computer

This Mini DisplayPort to VGA adapter lets you connect your mDP computer to a VGA monitor or projector. The adapter works with Mini DisplayPort computers like your Macbook® or any Microsoft® Surface™ Pro devices with mDP.

Easily connect your Mini DisplayPort computer to a VGA display

The mDP to VGA adapter lets you connect your Mini DisplayPort laptop, desktop or tablet to a VGA display. The adapter is compatible with mDP ports as well as Thunderbolt 1 and Thunderbolt 2 I/O ports, and supports plug-and-play connectivity ensuring a hassle-free setup.

Works with legacy VGA monitors

The Mini DisplayPort adapter makes your mDP computer fully compatible with existing VGA monitors or projectors in your home or around your office. The VGA connector features nuts that mate with the screws on standard VGA cables, to ensure your video cable won’t get disconnected.

The perfect travel companion for your MacBook with Mini DisplayPort

With its all-white design, this Mini DisplayPort video adapter is the perfect travel accessory for your MacBook with mDP. The adapter is compact and lightweight so it fits easily into your MacBook bag or carrying case, which is great for BYOD (Bring Your Own Device) applications at the office. While the adapter looks great next your Mac it also works with any Mini DisplayPort computer, such as your Windows® laptop.

Crystal-clear picture quality

With support for video resolutions up to 1920x1200 or 1080p, you’ll be surprised at the picture quality the adapter provides, even when connected to a legacy VGA monitor, projector or television. The adapter harnesses the video capabilities built into your mDP connection to deliver every detail in stunning high-definition.

The MDP2VGAW is backed by a 3-year StarTech.com warranty and free lifetime technical support.

Techninė specifikacija

Features	
Cable length	0.13 m
Connector 1	Mini DisplayPort
Connector 2	VGA (D-Sub)
Connector 1 gender	Male
Connector 2 gender	Female
Connector 1 form factor	Straight
Connector 2 form factor	Straight
DisplayPort version	1.2
Maximum resolution	1920 x 1200 pixels
Supported video modes	1080p
Maximum refresh rate	60 Hz

HBR2 support	Yes
Product colour	White
Converter type	Active video converter
Operational conditions	
Operating temperature (T-T)	0 - 60 °C
Storage temperature (T-T)	-10 - 70 °C
Operating relative humidity (H-H)	40 - 85%
Certificates	
Compliance certificates	CE, RoHS
Weight & dimensions	
Weight	28.5 g
Width	45 mm
Depth	180 mm
Height	15 mm
Packaging data	
Package width	108 mm
Package depth	197 mm
Package height	19 mm
Package weight	42 g
Logistics data	
Harmonized System (HS) code	84733080
Master (outer) case width	360 mm
Master (outer) case length	464 mm
Master (outer) case height	280 mm
Products per master (outer) case	160 pc(s)

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.
Artisans Crescent 45, N5V 5E9 Ontario, London, CA
startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited
Laarderhoogtweg 25, 1101 EB Amsterdam, NL
startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.