TP-Link VIGI NVR4016H tinklinis vaizdo įrašymo įrenginys (NVR) Juoda

Gamintojas: **TP-LINK** · Modelis: **VIGI NVR4016H** · EAN: **8885020623666** · Prekės kodas: **822627**



718,90 €

Kaina su PVM

Be PVM: **594,13 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Vaizdo signalo įvesties kanalai: 16 kanalai
- ✓ 3840 x 2160 pikseliai
- ✓ Įvesties pralaidumas: 320 Mbit/ai Išvesties pralaidumas: 320 Mbit/ai
- ✓ Didžiausia atminties apimtis: 64 TB Kietojo disko sąsaja: SATA
- ✓ Ethernet LAN (RJ-45) portų kiekis: 2 Stovo montavimas
- ✓ 45 W
- ✓ Juoda





Aprašymas

Security Never Shuts Down
16 Channel Network Video Recorder

Feature-Packed Ports for SMB Surveillance

Dual Ethernet Ports Design

Multi-Address Mode
Allows for the implementation of two different gateways

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Network Fault-Tolerance

Creates a safeguard or redundancy for your data

Port Aggregation

Realizes bandwidth stack and mutual backup

Auto Initialize for Quick Configuration

Just click “Auto Initialize” to set up basic IPC and hard disk parameters, greatly reducing your configuration time.

Techninė specifikacija

Performance	
Video input channels	16 channels
Maximum resolution	3840 x 2160 pixels
Alarm input channels	16
Alarm output channels	4
Number of simultaneously playbacked channels	16 channels
Video recording modes	720p, 1080p
Supported resolutions	3840x2160/30Hz, 1920x1080/60Hz, 1680x1050/60Hz, 1440x900/60Hz, 1280x1024/60Hz, 1280x720/60Hz
Video motion detection	Yes
Video loss detection	Yes
Audio formats supported	G.711, G.711u, G.726
Video formats supported	H.264, H.264+, H.265, H.265+
Backup function	Yes
Playback modes	Digital zoom, Fast play, Forward, Full screen, Pause, Play, Stop
Input bandwidth	320 Mbit/s
Output bandwidth	320 Mbit/s
Recording modes	Manual, Schedule
Audio system	2-way
Hard drive	
Number of HDDs installed	0
HDD capacity	0 GB
Maximum storage capacity	64 TB
HDD interface	SATA
Number of HDDs supported	4
Ports & interfaces	
Ethernet LAN (RJ-45) ports	2

Ethernet LAN data rates	10,100,1000 Mbit/s
HDMI ports quantity	2
VGA (D-Sub) output ports	1
USB 2.0 ports quantity	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
Audio RCA inputs	1
Audio RCA outputs	1
eSATA ports quantity	1
eSATA	Yes
RS-232 ports	1
Supported network protocols	UPnP (Plug and Play), NTP (Network Timing), SMTP, DNS, TCP/IP, UDP, ICMP, HTTP, HTTPS, DHCP, RTSP, SSL/TLS, RTP, IPv4, ARP
Features	
Rack mounting	Yes
Reset button	Yes
Buzzer off	Yes
Product colour	Black
Power	
Power consumption (max)	45 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Output current	1.5 A
System requirements	
Mobile operating systems supported	Android, iOS
Browser supported	Chrome (57+), Firefox (52+), Edge (91+)
Operational conditions	
Operating temperature (T-T)	-10 - 55 °C
Operating relative humidity (H-H)	10 - 90%
Storage temperature (T-T)	-40 - 70 °C
Storage relative humidity (H-H)	10 - 90%
Technical details	
Compliance certificates	BSMI, CE, Federal Communications Commission (FCC), KC, UKCA, VCCI
Weight & dimensions	
Width	440 mm
Depth	330 mm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Height	44 mm
Weight	4 kg
Package width	440 mm
Package depth	528 mm
Package height	100 mm
Package weight	5 kg
Packaging content	
Packaging content	- Mouse - Installation Guide - Power Cord - HDD Power Cables - HDD Data Cables - Terminal Blocks - Mounting Brackets - Screws - Rubber Feet

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

TP-Link

ATSAKINGAS ASMUO ES

TP-Link Deutschland GmbH
Niederkasseler Lohweg 175, 40547 Düsseldorf, DE
tp-link.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt