

# StarTech.com 50cm (1.6ft) Premium Certified High Speed HDMI Cable, Ultra Flexible HDMI Cable, 4K 60Hz/1440p 144Hz w/HDR10/ARC, 18Gbps, High Flex Braided HDMI Cord

Gamintojas: **STARTECH** · Modelis: **HDMI2-FLEX-4K60-50C** · EAN: **065030929301** · Prekės kodas: **822973**



**26,90 €**

Kaina su PVM

Be PVM: **22,23 €**

**Sandėlyje**





**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ **Built to Bend, Made to Last**: Ultra-flexible, ultra-slim HDMI cable with a dual-layer construction features a soft, low-memory silicone inner jacket and a braided nylon exterior for lasting durability and easy routing in meeting rooms and AV installations
- ✓ **Deliver Certified HDMI Performance**: Connect this Certified Premium High Speed HDMI Cable for guaranteed HDMI 2.0 and backward compatibility; Ensure sharp 4K 60Hz video with HDR10, Dolby Vision, HDCP 2.2, and 32-ch audio, 7.1 TrueHD, and ARC support
- ✓ **Identify Specs Instantly**: HDMI spec markings on each Quick ID connector remove guesswork and confirm feature support at-a-glance; Use this flexible HDMI cord in high-density installations where fast cable identification is critical for troubleshooting
- ✓ **For Pro Workspaces and AV Setups**: Deploy this ultra-flexible HDMI cable in user workstations and conference room AV panels with concealed or hard-to-access HDMI ports; Enhanced easy-grip strain reliefs ensure quick insertion/removal; Works with USB-C to HDMI adapters
- ✓ **The IT Pro's Choice**: Our digital display cables are rigorously lab-tested for signal integrity, durability, and compatibility across HDMI, DisplayPort, USB-C, and legacy interfaces; Backed by free lifetime 24/5 multi-lingual technical assistance



## Aprašymas

Ultra-flexible, ultra-slim HDMI cable designed for long-lasting durability in high-touch environments

This Premium Certified High Speed HDMI™ Cable is designed for reliable performance in enterprise, AV, and IT environments. HDMI specifications are clearly marked on each connector-an exclusive feature that eliminates guesswork, ensures compatibility, and confirms the cable's ability to support high-bandwidth performance.

## Durable and Ultra Flexible Jacket

Route this HDMI cord easily around corners, behind user workstations, displays, through AV panels, and into concealed or hard-to-access HDMI ports with an ultra-flexible jacket designed for frequent bends and tight installations. The cable combines a ultra-soft, low-memory silicone inner layer with a braided nylon exterior, supporting clean cable runs in enterprise AV racks, conference rooms, workstations, and wall-mounted display setups without compromising durability.

Easy-grip connector strain reliefs facilitate quick insertion and removal in high-density or difficult-to-reach spaces. Gold-plated connectors preserve signal integrity, resist corrosion, and are rated for 10,000+ insertions for long-term, reliable use.

## Full-Featured Premium High Speed HDMI

Drive sharp 4K UHD video, fast refresh rates, and high-resolution visuals on UHD displays, workstations, video walls, and AV installations. This flexible Premium High Speed HDMI Cable supports full HDMI 2.0 features:

- Resolutions up to 4K 60Hz using a compatible HDMI source and display
- Supports high refresh rates including 1440p 144Hz and 1080p 240Hz
- 21:9 Aspect Ratio support for cinematic viewing experiences
- High Dynamic Range (HDR10) for higher contrast ratio and vibrant picture quality
- High-Bandwidth Digital Content Protection (HDCP) 2.2 for a secure connection between source and display
- Audio Return Channel (ARC) for sending audio from the TV back to an AV receiver or soundbar
- Up to 32 Uncompressed Digital Audio Channels
- HDMI Ethernet Channel (HEC) for network connectivity over HDMI
- Backward compatible with previous HDMI versions

## Certified for Guaranteed Compatibility

The 4K HDMI Cable is certified by an HDMI Authorized Test Center and undergoes rigorous compliance testing to verify support for all HDMI 2.0 high-bandwidth features. It is EMI-tested to ensure minimal interference with nearby wireless signals. This cable works with all 4K ready devices and is backward compatible with previous HDMI specifications.

The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

## Techninė specifikacija

| Features           |                        |
|--------------------|------------------------|
| Cable length       | 0.5 m                  |
| Connector 1        | HDMI Type A (Standard) |
| Connector 2        | HDMI Type A (Standard) |
| Connector 1 gender | Male                   |
| Connector 2 gender | Male                   |

|                                                 |                                             |
|-------------------------------------------------|---------------------------------------------|
| HDMI cable type                                 | High Speed HDMI cable                       |
| Product colour                                  | Black, Silver                               |
| Connector contacts plating                      | Gold                                        |
| Connector 1 form factor                         | Straight                                    |
| Connector 2 form factor                         | Straight                                    |
| HDMI version                                    | 2                                           |
| Supported graphics resolutions                  | 3840 x 2160, 2560 x 1440, 5120 x 2880       |
| Audio Return Channel (ARC)                      | Yes                                         |
| HDCP                                            | Yes                                         |
| HDCP version                                    | 2.2                                         |
| Data transfer rate                              | 18 Gbit/s                                   |
| High Dynamic Range (HDR) supported              | Yes                                         |
| High Dynamic Range (HDR) technology             | High Dynamic Range 10 (HDR10), Dolby Vision |
| Supported digital audio channels (uncompressed) | 32, 7.1                                     |
| Cable jacket type                               | Braided                                     |
| Cable shielding                                 | Aluminum mylar foil                         |
| Colour depth                                    | 10 bit                                      |
| Colour sampling                                 | 4:4:4                                       |
| Operational conditions                          |                                             |
| Operating temperature (T-T)                     | 0 - 40 °C                                   |
| Storage temperature (T-T)                       | -20 - 70 °C                                 |
| Operating relative humidity (H-H)               | 10 - 90%                                    |
| Certificates                                    |                                             |
| Compliance certificates                         | RoHS, CE                                    |
| Weight & dimensions                             |                                             |
| Cable diameter                                  | 4 mm                                        |
| Weight                                          | 30 g                                        |
| Packaging data                                  |                                             |
| Quantity per pack                               | 1 pc(s)                                     |
| Package width                                   | 158 mm                                      |
| Package depth                                   | 60 mm                                       |
| Package height                                  | 30 mm                                       |
| Package weight                                  | 52.9 g                                      |
| Logistics data                                  |                                             |

|                                  |           |
|----------------------------------|-----------|
| Master (outer) case width        | 355 mm    |
| Master (outer) case length       | 330 mm    |
| Master (outer) case height       | 345 mm    |
| Products per master (outer) case | 100 pc(s) |

**Matmenys ir svoris**

|                      |                           |
|----------------------|---------------------------|
| Matmenys (l × p × A) | 16,00cm × 7,00cm × 3,00cm |
| Svoris               | 0,06kg                    |

**Dokumentai ir vaizdo įrašai**[> Gaminio lankstinukas](#)**Gamintojo ir saugos informacija**

## GAMINTOJAS

**StarTech.com Ltd.**Artisans Crescent 45, N5V 5E9 Ontario, London,  
CA[startech.com](http://startech.com)

## ATSAKINGAS ASMUO ES

**StarTech.com Limited**

Laarderhoogtweg 25, 1101 EB Amsterdam, NL

[startech.com](http://startech.com)

## PLATINTOJAS

**MB KOMPIUTERIŲ GURU**

V. Nagevičiaus g. 3, LT-08237 Vilnius

[info@shopro.lt](mailto:info@shopro.lt)