

StarTech.com SATA to 2.5in or 3.5in IDE Hard Drive Adapter for HDD Docks

Gamintojas: **STARTECH** · Modelis: **SAT2IDEADP** · EAN: **065030843393** · Prekės kodas: **824753**



37,90 €

Kaina su PVM

Be PVM: **31,32 €**

Sandėlyje



Prekė internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Supports 40-pin (3.5in) and 44-pin (2.5in) IDE hard drives
- ✓ Durable, metal construction
- ✓ Compatible with most 3.5in StarTech.com SATA hard drive docking stations and duplicators
- ✓ Large capacity hard drive support, with 48-bit LBA
- ✓ Compliant with SATA revision 1.0
- ✓ Compatible with PATA (IDE) 66/100/133 MBps hard drives
- ✓ Mounting holes for both 2.5in and 3.5in form factor IDE hard drives



Aprašymas

Use your 2.5in or 3.5in IDE hard drives in a SATA HDD Docking Station

The SAT2IDEADP SATA to IDE hard drive adapter enables you to use your 2.5-inch/3.5-inch IDE-based (PATA) hard drives in most StarTech.com SATA-based HDD docking stations and drive duplicators" title="Hard Drive Docking Stations and Duplicator. The SATA-IDE adapter features all-metal construction that ensures maximum durability, and is fully compatible with IDE hard drives up to ATA-133 (133MBps).

The unique mounting style of the SATA/IDE adapter enables it to be easily mounted to an IDE/ATA hard drive, and inserted into a SATA hard drive dock bay, for quick and easy retrieval of data from older HDDs. The adapter can also be used to install IDE hard drives into SATA-only desktop computers, or any other scenario that requires an IDE hard drive to be connected through Serial ATA.

The SAT2IDEADP hard drive adapter works with most StarTech.com SATA HDD Docking Stations and Duplicators.

Backed by 2-year warranty and free, lifetime technical support.

Techninė specifikacija

Ports & interfaces	
Connector 1	SATA 7-pin + SATA 15-pin
Connector 2	IDE 40-pin + IDE 44-pin + LP4
Connector 1 gender	Male
Connector 2 gender	Female
Performance	
Product colour	Black
Chipset	JMicron - JM20330
Storage drive sizes supported	2.5,3.5"
Operational conditions	
Operating temperature (T-T)	5 - 80 °C
Storage temperature (T-T)	-40 - 70 °C
Relative humidity	8 - 90%
Certificates	
Compliance certificates	RoHS
Certification	CE, FCC, REACH
Weight & dimensions	
Width	78 mm
Depth	101 mm
Height	26 mm
Weight	104 g
Packaging content	

Quantity per pack	1 pc(s)
Manual	Yes
Packaging data	
Package width	145 mm
Package depth	113 mm
Package height	53 mm
Package weight	200 g
Logistics data	
Products per master (outer) case	20 pc(s)
Master (outer) case width	282 mm
Master (outer) case length	306 mm
Master (outer) case height	272 mm
Matmenys ir svoris	
Svoris	0,22kg

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.

Artisans Crescent 45, N5V 5E9 Ontario, London,
CA

startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited

Laarderhoogtweg 25, 1101 EB Amsterdam, NL

startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt