

Manhattan USB-A 7-Port Hub Industrial, 7x USB-A Ports, 5 Gbps (USB 3.2 Gen1 aka USB 3.0), 20 kV ESD Protection, A/C, Bus and Terminal-Block Power Options, DIN Rail, Wall Mountable, Metal Housing, Screw-Lock Security

Gamintojas: **MANHATTAN** · Modelis: **164405** · EAN: **766623164405** · Prekės kodas: **825317**



148,90 €

Kaina su PVM

Be PVM: **123,06 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Provides seven SuperSpeed USB 3.0 ports for additional peripherals
- ✓ Supports data transfer rates up to 5 Gbps
- ✓ Rugged metal housing and screw-locking USB connections offer robust security in high-traffic areas and industrial environments
- ✓ Built-in rubber feet, detachable wall mounts and DIN-rail support provide multiple installation options
- ✓ AC, bus-powered and terminal-block power options with overcurrent and 20 kV ESD protection; does not support simultaneous use of terminal block and AC power
- ✓ Supports battery-charge specification 1.2 (BC 1.2)
- ✓ Backward compatible with all USB 2.0 and 1.1 devices
- ✓ Power and port-activation LED indicator
- ✓ Plug and Play
- ✓ Three-year warranty





Aprašymas

Fast, powerful SuperSpeed USB 3.0 performance in a multiport hub

The Manhattan 7-Port Industrial USB 3.0 Hub easily expands and secures your USB access in industrial environments and high traffic areas. Versatile, sturdy mounting options allow the hub to be secured to a wall, used on a desktop or added to a DIN rail. This hub creates more open connection points for USB 3.0 devices, such as external hard drives and printers. Built-in screw-lock ports offer security for cables and additional stability from vibrations in the surrounding environment. It is backward compatible with previous USB standards to provide flexibility for attached devices. The Manhattan 7-Port Industrial USB 3.0 Hub offers plug-and-play, hot-swap capabilities and data transfer speeds up to 5 Gbps.

Techninė specifikacija

Ports & interfaces	
Ports quantity	7
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-B
Hub interfaces	USB 3.2 Gen 1 (3.1 Gen 1) Type-A
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	7
DC-in jack	Yes
Features	
Data transfer rate	5000 Mbit/s
Product colour	Black
Housing material	Metal
LED indicators	Yes
Cable length	1 m
Plug and Play	Yes
Certification	USB 3.0, FCC, CE, RoHS, WEEE
Power	
Power consumption (typical)	32 W
Input voltage	9 - 40 V
System requirements	
Windows operating systems supported	Windows 10, Windows 7, Windows 8.1, Windows Vista, Windows XP Home

Mac operating systems supported

Mac OS 9.0, Mac OS 9.1, Mac OS 9.2, Mac OS X 10.0 Cheetah, Mac OS X 10.1 Puma, Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks

Weight & dimensions

Width	32 mm
Depth	158 mm
Height	80 mm
Weight	330 g

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Packaging content

Cables included	USB
Quick installation guide	Yes

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 96%

Logistics data

Harmonized System (HS) code	84719000
-----------------------------	----------

Technical details

Compliance certificates	CE, REACH, RoHS, UKCA, Federal Communications Commission (FCC)
-------------------------	--

Matmenys ir svoris

Svoris	0,44kg
--------	--------

Dokumentai ir vaizdo įrašai[› Gaminio lankstinukas](#)**Gamintojo ir saugos informacija**

GAMINTOJAS

Manhattan

ATSAKINGAS ASMUO ES

IC Intracom Vertriebs GmbH

Löhbacher Str. 7, D-58553 Halver, DE
[intellinetnetwork.eu](mailto:info@shopro.lt)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt