

D-Link DUB-2325 knyginių kompiuterių dokas / jungčių replikatorius C tipo USB Pilka

Gamintojas: **D-LINK** · Modelis: **DUB-2325/E** · EAN: **790069468575** · Prekės kodas: **826090**



49,90 €

Kaina su PVM

Be PVM: **41,24 €**

Sandėlyje






Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Priimančioji sąsaja: C tipo USB
- ✓ „Plug and Play“ funkcija
- ✓ MicroSD (TransFlash), SD, SDHC, SDXC



Aprašymas

Do more with one port.

Instantly add a dual-slot SD and microSD card reader, two USB 3.0 ports, and a USB-C port to your laptop simply by plugging the hub into any USB-C port.

SuperSpeed USB 3.0

Transfer data at 5 Gbps. Ideal for transferring from USB drives, phones, tablets, cameras, and other peripherals.

Plug and Play

Add more available ports simply by plugging the hub into a USB-C port. No additional software required.

Dual-Slot SD Card Reader

Instantly connect SD/microSD/SDHC/SDXC cards to the hub and make fast data transfers of photos and videos.

Thunderbolt 3

Use the Thunderbolt 3 port to transfer data, deliver power, or extend your display in seconds.

Strong housing

Compact, lightweight design in space grey, with aluminium alloy housing.

Ready to transfer your close-ups.

Reliably bulk transfer any files from your SD or microSD card to your computer using the hub's built-in dual-slot SD/microSD card reader. Perfect for quickly downloading camera photos and video footage to a phone, tablet, or computer without using any of your camera's battery power.

Transfer Large Files in Seconds.

Use the hub to quickly transfer files to your USB devices like phones, tablets, external hard drives, and flash drives, to your computer.

It has the latest USB 3.0 technology built in to make transfers of music, HD videos, entire photo albums, backups and other large files up to x10 faster than USB 2.0. You can connect older USB 2.0/1.1/1.0 devices as well as ones using the latest USB 3.0 technology.

Easy to use everywhere. No setup at all.

The space grey, strong aluminium alloy housing protects the high-quality chipset inside and makes the hub ready for any situation, whether you're at home, the office, or travelling.

Plug and play convenience allows you to use the hub straight away and with any Mac, Windows or Linux computer with a USB-C port. There are no drivers to install, and there's no complicated software setup at all.

Techninė specifikacija

Ryšys	
Priimančioji sąsaja	C tipo USB
USB 3.2 (3.1 1 kart.) A tipo prievadų skaičius	2
USB 3.2 (3.1 1 kart.) C tipo prievadų skaičius	1
Veikimo charakteristikos	
Produkto spalva	Pilka
Integruotas kortelių skaitytuvas	Taip
Suderinamos atminties kortelės	MicroSD (TransFlash), SD, SDHC, SDXC
Lizdo sąsajos	USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-C
LED indikatoriai	Energija
„Plug and Play“ funkcija	Taip
Energijos valdymas	
Maitinimo tipas	USB
Programinė įranga	

Palaikomos „Windows“ operacinės sistemos

Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64

Palaikomos MAC operacinės sistemos

Mac OS X 10.8 Mountain Lion

Aplinkos sąlygos

Darbo temperatūros diapazonas (TT)

0 - 45 °C

Sandėliavimo temperatūros norma (T-T)

-10 - 70 °C

Darbo santykinės drėgmės diapazonas

0 - 85%

Sandėliavimo santykinis drėgmės diapazonas

0 - 85%

Svoris ir matmenys

Plotis

118 mm

Ilgis

13,5 mm

Aukštis

35 mm

Techninė informacija

Atitikties sertifikatai

CE

Tvarumas

Tvarumo reikalavimų laikymasis

Taip

Matmenys ir svoris

Svoris

0,23kg

Dokumentai ir vaizdo įrašai

- › Naudojimo instrukcija
- › Gaminio lankstinukas
- › CE ženklavimas

Gamintojo ir saugos informacija

GAMINTOJAS

D-Link

ATSAKINGAS ASMUO ES

D-Link Benelux

Postbus 48, 5480 AA Schijndel, NL

dlink.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt

Saugos dokumentai

[› CE ženklavimas](#)