

Manhattan 461887 monitoriaus laikiklis arba stovas 81,3 cm (32") Stalas Juoda

Gamintojas: **MANHATTAN** · Modelis: **461887** · EAN: **766623461887** · Prekės kodas: **826143**



262,90 €

Kaina su PVM

Be PVM: **217,27 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Maksimalus svoris (tūris): 18 kg
- ✓ Mažiausias ekrano dydis: 43,2 cm (17") Didžiausias ekrano dydis: 81,3 cm (32")
- ✓ Palaikomų ekranų skaičius: 2
- ✓ Montavimo tipas: Stalas
- ✓ Montavimo sąsajos suderinamumas (maks.): 100 x 100 mm
- ✓ Aukščio reguliavimas
- ✓ Aliuminis Juoda



Aprašymas

Ergonomic monitor desk mount with USB, HDMI, Ethernet and Power Delivery Ports

Turn your (home-) office dream desk into an ergonomic reality and reclaim valuable workspace with this combined monitor mount and docking station from Manhattan. Since it uses a gas spring to hold your displays, these monitor arms only need a light touch to move your screens to the best viewing angle for you. The dual-monitor VESA mount supports 17" to 32" displays with a weight capacity up to 9 kg (19.8 lbs.) each. An attractive black finish with powder coating complements your workspace.

Light-touch height adjustment

A gas-spring cylinder makes it easy to raise or lower the display anywhere from 210 to 490 mm (8.3 to 19.3 in.) so it can sit in the best place for your line of sight. Adjust the tension according to the weight of your monitors to reposition them effortlessly.

Full-motion view optimization

The full-motion arms let you extend, tilt and swivel across multiple axes, so it's easy to create an ergonomic workspace that fits your exact needs. You can also rotate your monitors from landscape to portrait orientation to view photos in portrait mode or see longer pages and blocks of code without having to scroll down.

Easy desk side or grommet installation

You can either clamp the mount to the side of a desk, table or counter that is 10 to 50 mm (0.4 to 2 in.) thick, or you can mount it through a grommet hole that is 10 to 50 mm (0.4 to 2 in.) wide. All the hardware you need is included in the box.

Clean cable management

Built-in cable management keeps the cords on your desk tidy and organized.

Two 4K UHD HDMI ports for display connectivity

The two included HDMI ports on the docking station base let you multitask on two HDMI monitors at the same time. Add one HDMI monitor to your laptop display for 4K@60Hz images, or add two monitors with resolutions up to 4K@30Hz.

Peripheral and wired network connections

The three USB-A ports (5 Gbps transfer speeds) let you connect mice, keyboards or flash drives. A Gigabit RJ45 port provides 10/100/1000 Mbps connectivity to the wired network, an extremely useful connection that's missing in most modern Ultrabooks™ and MacBooks®.

Up to 100 W charging power with USB-C Power Delivery (PD)

The included USB-C PD port lets you charge your notebook with power output up to 87 W while simultaneously charging your other mobile devices, such as smartphones or tablets, through the USB-A ports. The Power Delivery function also provides faster charging than standard chargers, since it determines the power needs of compatible devices and supplies it at the quickest and safest rate.

Techninė specifikacija

Montavimas

Palaikomų ekranų skaičius

2

Didžiausioji keliamoji galia (vieno ekrano)	9 kg
Didžiausias ekrano dydis	81,3 cm (32")
Montavimo tipas	Stalas
Maksimalus svoris (tūris)	18 kg
Mažiausias ekrano dydis	43,2 cm (17")
Montavimo sąsajos suderinamumas (min.)	75 x 75 mm
Montavimo sąsajos suderinamumas (maks.)	100 x 100 mm
Suderinama su VESA sienos tvirtinimo sistema	75 x 75,100 x 100 mm

Ergonomija

Aukščio reguliavimas	Taip
Aukščio reguliavimo intervalas	210 - 490 mm
Posvyrio kampo intervalas	-45 - 45°
Sukiojamas	Taip
Pasukamas kampas	180°
Sukimosi kampas	360°

Konstrukcija

Produkto spalva	Juoda
Korpuso medžiaga	Aliuminis

Ryšys

Duomenų perdavimo sparta	5 Gbit/s
--------------------------	----------

Svoris ir matmenys

Plotis	115 mm
Ilgis	1018 mm
Aukštis	560 mm
Svoris	4,55 kg

Pakuotės duomenys

Kiekis pakuotėje	1 vnt
Paketo svoris	5,29 kg

Aplinkos sąlygos

Darbo temperatūros diapazonas (TT)	0 - 70 °C
Darbo santykinės drėgmės diapazonas	10 - 90%
Sandėliavimo temperatūros norma (T-T)	-10 - 90 °C

Kitos savybės

Atitikties sertifikatai	CE, REACH, RoHS, UKCA, Federalinė ryšių komisija (FCC)
-------------------------	--

Sertifikavimas

CE FCC RoHS REACH UKCA

Matmenys ir svoris

Svoris

5,26kg

Dokumentai ir vaizdo įrašai

- > [Naudojimo instrukcija](#)
- > [Gaminio lankstinukas](#)
- > [Vaizdo įrašas](#) youtube.com/watch?v=Pnl8C8jxYwE

Gamintojo ir saugos informacija

GAMINTOJAS

Manhattan

ATSAKINGAS ASMUO ES

IC Intracom Vertriebs GmbH

Löhbacher Str. 7, D-58553 Halver, DE
intellinetnetwork.eu

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt