

Zebra ZT111 label printer Direct thermal 300 x 300 DPI Wired & Wireless Ethernet LAN Wi-Fi

Gamintojas: **ZEBRA** · Modelis: **ZT11143-D0E000FZ** · Prekės kodas: **829403**



892,90 €

Kaina su PVM

Be PVM: **737,93 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Print methods: direct-thermal or thermal-transfer
- ✓ Construction: metal frame and plastic enclosures
- ✓ Bi-fold media door with large clear window
- ✓ Side-loading supplies path for simplified media and ribbon loading
- ✓ Thin film printhead with E3™ Element Energy Equalizer for superior print quality
- ✓ Five color LEDs for quick printer status
- ✓ Three button keypad
- ✓ ZebraDesigner Essentials – easy label design tool free at



Aprašymas

When your labeling needs demand more than a desktop printer can deliver and you're looking to add an industrial printer, you shouldn't have to compromise between budget and quality. With Zebra's ZT111, you don't have to. Get just the right features you need at the right price to match your needs – today and tomorrow. Stay productive with fast print speeds, built-in intelligence and time-saving tools to make work easier. And, futureproof your investment with upgradeability.

Make the smart choice with the ZT111, the entry-level printer that's easy on your budget and gives you more. More uptime, more processing power, more tools and more years of use.

THE BUDGET PRINTER THAT DELIVERS MORE

Greater Functionality at a Fraction of the Cost

Get more value out of your printer with built-in Zebra-only software tools that make it easy to integrate and operate. From setup utilities to built-in security settings to ongoing visibility into your supplies usage, Zebra gives you more without the added cost.

Save Time and Effort for IT

Your IT team is busy enough. The ZT111 makes it simple. It's easy to integrate into your existing network as it is backwards compatible and features Printer Emulations to replace other brands without having to change label formats or rewrite code. Make training simple with the easy-to-use 3-button interface with 5 status icons.

Print More for Longer

Eliminate replacing printers that don't last. Get the enduring quality you expect and deserve from Zebra at a price that matches your budget, knowing this printer will outperform others for years to come. Be confident knowing you're backed by Zebra, the #1 leader in barcode printing.

Maximize Your Workspace

Save workspace with the ZT111's small footprint, compact dimensions, and bi-fold door that reduces the height needed to open it.

THE RIGHT CAPABILITIES TO MOVE BUSINESS FORWARD

Innovative Processing to Power Future Printing

The ZT111 includes an all-new architecture to process more jobs at once and evolve with advancing technology. So, it's a smart choice now and later.

Onboard analytics and printhead element out detection help you plan maintenance in advance. And, the easy tool-less platen and print head removal makes the job easy.

The Key Features You Want

Want 300 dpi high-resolution printing? You've got it, and more. With fast print speeds up to 10 ips at 203 dpi, intuitive media loading with color-coded touch points and adjustable media sensors, you can quickly print what you need without the hassle.

Connect Your Way

Connecting your devices, printers and people is a critical factor to driving productivity. The ZT111 makes it easy with plenty of connectivity options to choose from like Serial and Ethernet. Need a USB Host port? It's got that. You can even tap to pair and print with compatible mobile devices with the Print Touch tag (NFC). Or, add a second Ethernet port or 802.11ac Wi-Fi™.

Futureproof Your Investment

New to industrial printing? No worries. Save on large, upfront capital costs by purchasing just the features you need right now. With field-installable upgradeability options like wireless connectivity and media handling, your printer can adapt to your changing needs whenever you need it.

BUILT-IN SECURITY TO PROTECT YOUR DATA AND INFRASTRUCTURE

Smart Settings to Prevent Tampering

Security risks are real and costly. Endpoints are becoming popular targets, including networked thermal printers. Protect your ZT111 during start up with Secure Boot and prevent unwanted settings changes while in use with Protected Mode. When you're ready to relocate or retire your ZT111, easily reset all user settings and remove user files with Simplified Printer Decommissioning. Protect your networks from costly cyber attacks with Zebra Secure Service Commands, part of PrintSecure.

SUPPLIES, SERVICE AND SUPPORT

Zebra Certified Supplies

Printing supplies provide a digital voice for assets across your supply chain. You rely on them to disseminate critical data throughout your organization. If something goes wrong with your printing supplies, operations are interrupted, productivity suffers and costs rise. That's why we design, produce and rigorously pretest our own line of labels and tags to ensure consistent, optimized performance in your Zebra printer. For industry-leading quality, service and thermal printing expertise, choose Zebra Certified Supplies.

Backed by Zebra's Worldwide Service and Support

Access repair support services anywhere around the globe through Zebra and its trusted network of more than 10,000 partners. Zebra OneCare™ Maintenance Plans provide enhanced coverage that exceeds standard warranty.

Techninė specifikacija

Printing	
Print technology	Direct thermal
Colour	No
Maximum resolution	300 x 300 DPI
Maximum printing width	10.4 cm
Number of printable dots	12 dot
Maximum print height	185.4 cm
Paper handling	
Ribbon width	11 cm
Ribbon length	450 m
Maximum label width	11.4 cm
Maximum roll diameter	8.13 cm
Media thickness	0.076 - 0.25 mm
Core diameter	2.54 cm
Ports & interfaces	
Connectivity technology	Wired & Wireless
Ethernet LAN	Yes
Wi-Fi	Yes
USB port	Yes
Wi-Fi standards	Wi-Fi 5 (802.11ac)
USB 2.0 ports quantity	1
RS-232 ports	1
Performance	

Page description languages	EPL, EPL2, ZBI, ZPL, ZPL II
Internal memory	256 MB
Flash memory	256 MB
Built-in barcodes	AZTECCODE, Codablock, Code 11, Code 128 (A/B/C), Code 39, Code 49, Code 93, Data Matrix, EAN13, EAN8, GS1 Databar (RSS-14), MSI, MaxiCode, MicroPDF417, PDF417, QR Code, TLC39, UPC-A, UPC-E
Certification	IEC 62368-1, EN55022 Class B, EN55024, EN55035, EN61000-3-2, EN61000-3-3, FCC Class B, ICES-003, FCC 15.209; 15.247(d), IC RSS 247, EN 300 328, EN 301 893, EN 62311, cTUVus, CE Marking, UKCA, VCCI, RCM, S- Mark, CCC, CU EAC, BSMI, KCC, and BIS
Design	
Product colour	Black
Display	No
Built-in display	No
Power	
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
System requirements	
Windows operating systems supported	Yes
Mobile operating systems supported	Android, iOS
Operational conditions	
Operating relative humidity (H-H)	20 - 85%
Storage relative humidity (H-H)	5 - 85%
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 60 °C
Weight & dimensions	
Width	241 mm
Depth	432 mm
Height	279 mm
Weight	7.7 kg
Technical details	
Sustainability certificates	ENERGY STAR
Compliance certificates	BSMI, CCC, CE, EAC, KCC, UKCA, VCCI, cTUVus
Sustainability compliance	Yes
Matmenys ir svoris	
Svoris	8,81kg

Dokumentai ir vaizdo įrašai

- › Naudojimo instrukcija
- › Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

Zebra

ATSAKINGAS ASMUO ES

Zebra Technologies

Borupvang 3, Ballerup, DK

zebra.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt