

ICY BOX IB-1817Ma-C31 SSD enclosure Silver M.2

 Gamintojas: **ICY BOX** · Modelis: **IB-1817Ma-C31** · EAN: **4250078169536** · Prekės kodas: **831990**


37,90 €

Kaina su PVM

 Be PVM: **31,32 €**


Sandėlyje


Prekė internetu

 Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ **ROBUST:** A special aluminium alloy makes this enclosure very stable and protects it from external damage. Excellent heat dissipation is achieved through an elegant cooling fin design
- ✓ **VERSATILE:** All common lengths of NVMe SSDs are supported by the enclosure (22x30/42/60/80). So you don't have to rely on just one length, but can decide variably
- ✓ **VERY FAST:** USB 3.1 (Gen 2) enables transfer rates of up to 10 Gbit/s. Your data is transferred super fast. So your data is transferred super fast. This case can also be used for a mobile operating system
- ✓ **COOLING:** The heat inside the heat sink is ideally conducted to the outside of the enclosure via the heat sink and the silicone heat pad. This keeps the NVMe SSD cool even under full load
- ✓ **SAFE:** The enclosure has a write protection switch on the front. This ensures that data can be read, but it is not possible to change it





Aprašymas

Perfect cooling

The patented cooling plate transfers the resulting waste heat from the SSD to the housing and cools the SSD down optimally. This prevents the otherwise usual early reduction of the transfer rate to protect from

Your time is valuable. overheating. With the IB-1817Ma-C31, data can be sent permanently from A to B at maximum transfer rate of up to 10 Gbit/s.

Your time is valuable.

The IB-1817Ma-C31 is compatible with M.2 cards of 30, 42, 60, and 80 mm length, operating system-independent, and suitable for a variety of applications such as high-speed storage, cloning a drive, or running a mobile operating system. All this happens with a data transfer rate of up to 1000 MB per second. Compared to data transfer with a SATA drive, a data volume of 50 gigabytes is now transferred in 50 seconds instead of 1:36 minutes.

Click - Safe

With the IB-1817Ma-C31, sensitive data on the installed M.2 SSD can be protected from changes by a switch and released again. The write protection switch can be moved to the desired position using the supplied mini tool and a small hand movement. Click - safe.

Techninė specifikacija

Storage	
Storage drive size	M.2
Supported storage drive interfaces	PCI Express 3.0
Number of storage drives supported	1
Supported storage drive heights	22 mm
Supported storage drive lengths	30,42,60,80 mm
Maximum storage capacity	2 TB
Ports & interfaces	
USB connectivity	Yes
USB version	3.2 Gen 2 (3.1 Gen 2)
USB connector type	USB Type-C
USB connector gender	Female
USB ports quantity	1
Design	
Product type	SSD enclosure

Product colour	Silver
Material	Aluminium
LED indicators	Yes
Performance	
Data transfer rate	10 Gbit/s
Chipset	JMS583
Plug and Play	Yes
Country of origin	Taiwan
Power	
Power source type	USB
System requirements	
Windows operating systems supported	Yes
Mac operating systems supported	Yes
Weight & dimensions	
Width	39 mm
Depth	103 mm
Height	15 mm
Weight	122 g
Cable length	0.2 m
Package width	300 mm
Package depth	500 mm
Package height	220 mm
Package weight	220 g
Packaging content	
Cables included	USB Type-A to USB Type-C, USB Type-C
Screws included	Yes
Screwdriver included	Yes
Manual	Yes
Logistics data	
Harmonized System (HS) code	84718000
Products per master (outer) case	40 pc(s)
Matmenys ir svoris	
Svoris	0,21kg

Dokumentai ir vaizdo įrašai

› [Naudojimo instrukcija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

RaidSonic Technology GmbH

Kurt-Fischer-Strasse 50, D-22926 Ahrensburg, DE

icybox.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt