

Intellinet 19" 1U Rackmount 7-Output Power Distribution Unit (PDU) / Surge Protector, EU CEE 7/3 Outlets, 500 Joule/19,500 A Surge Protection, Built-in 3 m Power Cord with EU CEE 7/7 Plug, 16 A, Horizontal Mount, Aluminum, Black

Gamintojas: **INTELLINET** · Modelis: **715140** · EAN: **766623715140** · Prekės kodas: **832565**



40,90 €

Kaina su PVM

Be PVM: **33,80 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 7-way single-phase PDU for electrical equipment, ideal for networking, telecom, security and audio/video
- ✓ 500 joule surge protection and 19,500 A surge current against dangerous power surges, line noise and spikes
- ✓ Built-in 3 m power cord with EU CEE 7/7 (Type E+F) plug
- ✓ Sockets with increased touch protection through contact shutters
- ✓ Horizontal 1U 19" rack-mount installation
- ✓ Angled outlet orientation
- ✓ Durable aluminum construction
- ✓ Grounding point to protect equipment from external electrical surges
- ✓ Bracket installation style: frontal
- ✓ For indoor use only





Aprašymas

Rack mount 7-way 19" surge protector power strip - power up to seven devices in your network

Plug your networking, telecom, surveillance, AV or other electronics into this 7-outlet 19" PDU from Intellinet Network Solutions. It is compatible with standard electrical equipment and features seven EU Type E+F outlets in a durable black aluminum housing. This PDU mounts in 1U of space in 19-inch racks. For even more safety, it features a surge suppression rating of 500 joules and 19,500 A surge current.

Techninė specifikacija

Design	
Rack capacity	1U
Type	Single-phase
Housing material	Aluminium
Product colour	Black
Ports & interfaces	
AC outlets quantity	7 AC outlet(s)
AC outlet types	Type F
Power plug	Type F
Features	
Cable length	3 m
Power	
Nominal input voltage	220 -250 V
Maximum current	16 A
AC input frequency	50 - 60 Hz
Maximum power	4000 W
Surge protection	Yes
Certificates	
Compliance certificates	CE, RoHS, REACH
Certification	CE RoHS REACH IEC 60297 IEC 60884
Weight & dimensions	
Width	483 mm
Depth	45 mm

Height	45 mm
--------	-------

Weight	950 g
--------	-------

Packaging data

Package weight	1.05 kg
----------------	---------

Matmenys ir svoris

Svoris	1,04kg
--------	--------

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

IC Intracom Vertriebs GmbH

Löhbacher Str. 7, D-58553 Halver, DE

[intellinetnetwork.eu](mailto:info@shopro.lt)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt