

Verbatim USB-C Essentials Multiport Hub 6 ports: HDMI, USB-C PD, USB-A 3.2 Gen 1, USB-A, SD & microSD

Gamintojas: **VERBATIM** · Modelis: **32156** · EAN: **023942321569** · Prekės kodas: **833365**



37,90 €

Kaina su PVM

Be PVM: **31,32 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Ports: HDMI, USB-C PD, USB-A 3.2 Gen 1, USB-A 2.0, SD and microSD
- ✓ Pass-through PD Charging: Supports up to 100W power delivery to charge your laptop while using the hub
- ✓ SD/microSD Slots: Supports read and write speeds of up to 40MB/s and 30MB/s respectively
- ✓ Compact Design: Lightweight and portable, perfect for on-the-go professionals
- ✓ Compatibility: Supports multiple operating systems including Windows, Mac OS, Chrome OS, Linux, and Android
- ✓ Plastic-free packaging



Aprašymas

Expand your Connectivity

Transform a single USB-C® port into six versatile ports, including HDMI, USB-C PD, USB-A 3.2 Gen 1, USB-A 2.0 and SD/microSD card readers. This hub is perfect for connecting multiple peripherals, such as external monitors, flash drives, and memory cards, making it an essential tool for professionals and creatives alike.

High-Speed Data Transfer

Achieve rapid data transfer with USB 3.2 Gen 1 technology, delivering speeds up to 5Gb/s. This is ideal for transferring large files, such as high-resolution photos or videos, in seconds. The USB-A 2.0 port supports up to 480Mbps, ensuring compatibility with a wide range of devices.

Stunning 4K Visuals

The HDMI port provides ultra-high definition 4K video output at 30Hz, enhancing your visual experience whether you're delivering presentations, streaming movies, or extending your desktop to a larger screen. Enjoy vivid, sharp images and smoother video playback.

Techninė specifikacija

Ports & interfaces	
Ports quantity	6
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
Hub interfaces	HDMI, USB 2.0 Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-A
USB 2.0 ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
HDMI ports quantity	1
Card reader integrated	Yes
Card reader slot	2
Compatible memory cards	MicroSD (TransFlash), MicroSDHC, MicroSDXC, SD, SDHC, SDXC
Features	
Data transfer rate	5000 Mbit/s
Supported graphics resolutions	3840 x 2160
Maximum resolution (HDMI)	3840 x 2160 pixels
Product colour	Grey
Housing material	Acrylonitrile butadiene styrene (ABS), Aluminium
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
USB Power Delivery up to	100 W
HD type	4K Ultra HD

Number of displays supported	1
Cable type	Round cable
Cable length	0.15 m
Plug and Play	Yes
Country of origin	China
Power	
Power supply type	USB
Input voltage	5 - 20 V
Output voltage	5 V
Output current	0.9 A
System requirements	
Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma
Linux operating systems supported	Yes
Other operating systems supported	Android
Weight & dimensions	
Width	29.7 mm
Depth	1122 mm
Height	11 mm
Weight	56 g
Packaging data	
Quantity per pack	1 pc(s)
Package width	85 mm
Package depth	155 mm
Package height	20 mm
Package weight	105 g
Package type	Box
Packaging content	
Quick start guide	Yes
Operational conditions	
Minimum operating temperature	0 °C

Maximum operating temperature	40 °C
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 70 °C
Operating relative humidity (H-H)	10 - 85%

Logistics data

Pallet gross width	100 cm
Pallet gross length	120 cm
Pallet gross height	120 cm
Pallet gross weight	265 kg
Master (outer) case width	256 mm
Master (outer) case length	345 mm
Master (outer) case height	236 mm
Master (outer) case gross weight	5.5 kg

Technical details

Pallet net height	12 cm
Pallet net length	120 cm
Pallet net width	100 cm
Pallet net weight	12 kg
Compliance certificates	CE, Electromagnetic Compatibility (EMC), Federal Communications Commission (FCC), Low Voltage Directive (LVD), REACH, RoHS, UKCA

Matmenys ir svoris

Svoris	0,12kg
--------	--------

Dokumentai ir vaizdo įrašai

› [Vaizdo įrašas](#) objects.icecat.biz/objects/128737811_63272730.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

Verbatim

ATSAKINGAS ASMUO ES

Verbatim GmbH

Düsseldorfer Strasse 13, 65760 Eschborn, DE
verbatim-europe.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt